AD 710202

ANTHROPOMETRY OF THE AIR FORCE FEMALE HAND

JOHN W. CARRETT

MARCH 1976

This document has been approved for public velease and sale; its distribution is unlimited.

AEROSPACE MEDICAL RESEARCH LABORATORY
AEROSPACE MEDICAL DIVISION
AIR FORCE SYSTEMS COMMAND
WRIGHT-PATTERSON AIR FORCE BASE, OHIO

NOTICES

When US Government drawings, specifications, or other data are used for any purpose other than a definite-ly related Government procurement operation, the Government thereby incurs no responsibility nor any obligation whatsoever, and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise, as in any manner-licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Federal Government agencies and their contractors registered with Defense Documentation Center (DDC) should direct requests for copies of this report/to:

DDC Cameron Station Alexandria, Virginia 22314

Non-DDC users may purchase copies of this report from:

Chief, Storage and Dissemenation Section
Clearinghouse for Federal Scientific & Technical Information (CFSTI)
Sills Building
5285 Port Royal Road
Springfield, Virginia 22151

Organizations and individuals receiving announcements or reports via the Aerospace Medical Research Laboratory automatic mailing lists should submit the addressograph plate stamp on the report envelope or refer to the code number when corresponding about change of address or cancellation.

Do not return this copy. Retain or destroy.

800 - July 1970 - CO455 - 127-2785

FOREWORD

This report was prepared by the Anthropology Branch, Human Engineering Division, Aerospace Medical Research Laboratory, Wright-Patterson Air Force Base, Ohio. The research was performed in support of Project 7184, 'Human Performance in Advanced Systems," Task 718408, 'Lathropology for Design," and Work Unit 003, "Anthropometry."

The author is grateful to Mr. Charles E. Clauser, Lt. Col. Pearl E. Tucker, and Maj. Dora Duncan for their cooperation during the data collection phase of this study; to Mr. Edmund Churchill, Anthropology Research Project, Antioch College, and his staff for their help during the eciting and analysis of the data; and to the David Clark Company, Worcester, Massachusetts, for permitting us to modify and construct a measuring board designed by their company.

The author is also indebted to Mr. Clauser and Dr. Melvin J. Warrick for their critical review of the manuscript.

The art work is by Mr. Jerome Ingram of the University of Dayton's Graphic Arts Department. The photographs were taken by Mr. James Weir of the Wright-Patterson Air Force Base Technical Photograph Department; models are Mrs. Lara Green and Mr. Milton Alexander.

This technical report has been reviewed and is approved.

C. H. KRATOCHVIL, Colonel, USAF, MC Commander Aerospace Medical Research Laboratory

TABLE OF CONTENTS

Sectio	n	Pagè
I	Introduction	1
II	The Hand Survey	2
III	Methods	4
IV	Summary Data	9
v	Identification and Comparison of the Sample	49
VI	Correlation Matrix for All Variables	55
VII	Bivariate Frequency Tables	69
VIII	Selected Nomographs	77
Refer	ences	81

SECTION I

INTRODUCTION

The Anthropology Branch, Aerospace Medical Research Laboratory, maintains a current and extensive anthropometric data tank on the USAF population and provides body-size data to the Air Force design engineers. This report contains a comprehensive compilation of data on the hands of the female component of the Air Force.

Since the latest published anthropometries of the Air Force population were 15-20 years old (ref. 1, 2), major anthropometric surveys of the male and female USAF population were recently conducted to maintain the currency and validity of the data for today's Air Force. The USAF male population was surveyed in 1967, and the USAF female personnel were surveyed in 1968. Although time and money considerations precluded taking all potentially useful anthropometric dimensions on the entire 1967 1968 sample, the specialized hand survey data covered herein was gathered in conjunction with the 1968 effort.

This report presents basic data, with some statistical analysis of the relationships between certain of these data. Application of the data to specific design problems is left to the design engineer.

SECTION II

THE HAND SURVEY

These data were collected at Lackland Air Force Base, Texas, in the summer of 1968 as an adjunct to the major anthropometric survey incorporating 137 physical dimensions of over 1900 Air Force females in the WAF, Nurse Corps, and Biomedical Science Corps. In addition to these 137 dimensions, a total of 56 measurements was secured on the

right hands of 211 females. The sample of 211 was not rigidly selected; instead, all subjects scheduled for the major survey effort on particular days were channeled to an extra measuring station for the hand measurements. The study sample does, how-ever, compare favorably with the larger, major survey sample (see Table I).

TABLE I

Age	Stature	Weight	Hand Breadth	Circ., Meto Hand
USAF Females 1968 Survey N=1905 Means and (S.D.s)	63.8 in. (2.4 in.)	127.3 lbs (16.6 lbs)	2.97 in. (0.2 in.)	7.2 in. (0.4 in.)
USAF Females Study Sample N=211 Means and (S.D.s)	64.0 in. (2.6 in.)	128.5 lbs (18.0 lbs)	3.03 in. (0.2 in.)	7.4 in. (0.3 in.)

As far as possible the dimensions were selected to conform to certain of the handdimensions presented in four previous Anthropology Branch publications-"A Sizing System for High Altitude Gloves" (ref. 3), "Nomograph of the Hand and It's Related Dimensions" (ref. 4), "X-Ray Anthropometry of the Hand" (ref. 5), and "Clearance and Performance Values For the Bare-Handed and Pressure-Suited Operator" (ref. 6). These four publications contain measurements obtained both by conventional anthropometric techniques on the fleshy exterior and through radiographs of skeletal segments of the hand. As X-Ray techniques were not used in the collection of the data herein, there can be no common reference to those dimensions in the aforementioned publications that were measured from points precisely located on the bones of the hand. Several of the previously presented dimensions have been carried further; to wit; the finger breadths and finger depths have been used in calculating tinger circumferences. Finger circumferences, according to a prominent glove manufacturer, are more useful in the design of gloves than finger breadths and finger depths.

Ail measurements were secured on the 211

subjects' right hands. An excellent discussion of right hand vs left hand dimensions in "X-Ray Anthropometry of the Hand" (ref. 5, ngs 27-31) contains the following conclusions: The right hand tends to be slightly larger in both length and breadth dimensions than the left, with a majority of the differences statistically significant at the 1% level of confidence; the right hand evidenced slightly greater variability in lengths and less in breadths than did the left hand; and, inter-hand correlations on a dimension-bydimension basis demonstrate a high degree of predictability from one hand to the other.

The wrist crease is the proximal baseline¹

for the measurement of the hand used throughout this report. This anatomical landmark has been used in previous anthropometry of the hand studies conducted by the author on selected Air Force samples (ref. 6 and unpublished data); by the U.S. Army Natick Laboratories on samples of Naval Recruit, Marine and Army populations (re-ports in preparation) and on the WAC (ref. 7). Other anatomical baselines used else-

¹Here specifically defined as a line drawn tangent to the most proximal portions of the diploid flexure crease formed at the bases of the thenar and hypothenar eminences.


where include the proximal edge of the navicular bone (accurately determinable only through X-Rays (ref. 1-3, 8-16)); stylion (the distal-most point on the styloid process of the radius, (refs. 17-18)); the point where the thumb joins the wrist (ref. 19); and from the mid-point on a line connecting both stylia (radial and ulnar, (refs. 20-21)). An exact determination of the correlative differences

of these techniques remains to be accomplished. However, an unpublished study by the author on a mixed male-female sample, N of 19, produced Hand Length means of 20.0 cm by measuring to the palpated navicular, 19.7 cm to the palpated radial stylion, and 19.4 cm to the wrist crease; a spread of 0.6 cm in the means between the three.


SECTION III

METHODS

To expedite the flow of subjects, most of the dimensions were measured on a hand measuring board. The actual measuring procedure is shown in the illustrations beginning on next page.



THE MEASURING BOARD



(1) The data sheet was inserted and clamped onto the measuring board.



(2) After personal information was recorded, the subject's right hand was raised to an oath-swearing position;

(3) a plastic 6-inch ruler was attached to the wrist with Scotch double stick tape, one edge of the ruler on the most distal wrist crease;





(4) the subject's hand was placed, palm down on the measuring board with the upper edge of the ruler (wrist crease) as close to the guide line as possible and the five fingers on the guide lines between the slides. The data blank was marked at both sides of the wrist along the upper edge of the ruler;

(5) the slides were adjusted and tightened when they just touched the inter-digital webs;





(6) the position of the fingertips were marked on the data sheet by a pin hole or pencil mark; (7) Wrist Breadth (dimension #37) was measured;





(8) the hand was again raised and all other caliper-measured dimensions (#1-2, 8-11, 13-14, 16-17, 19-20, 22-23, 25-26, 28-29, 32-33, and 35-36) were secured and recorded on the data sheet;

(9) hand and wrist circumferences (#3-7) were measured with a steel measuring tape and recorded on the data sheet;





(10) the data sheet was then removed from the measuring board. Finger circumferences (#12, 15, 18, 21, 24, 27, 31, 34, and 37) were calculated and recorded.

The raw data was edited and summary statistics computed on on IBM 7040 electronic computer according to techniques and procedures developed by Mr. Edmund Churchill, Antioch College, and discussed by him in "Anthropometric Survey of Turkey, Greece and Italy," pp. 23-34 (ref. 12) and "Statistical Considerations," Chap. 3, in "Human Development," pp. 40-75 (ref. 22).

Contained on the following pages are the summary statistics for the 56 measured hand dimensions. The mean, standard error of the mean, standard deviation, standard error of the standard deviation, range, coefficient of variation, skewness, kurtosis, sample size, and selected percentiles are given for each dimension. The coefficient of variation is merely the standard deviation expressed as a percentage of the mean; thus C.V.=(100.0 x SD/M)%. The values of the listed measures of symmetry and kurtosis provide a basis for judging whether the shape of a distribution of data values resembles that

of the normal distribution. For the normal distribution, the measure of symmetry equals 0 and the measure for kurtosis equals 3. A distribution with values close to these will, in general, have a shape similar to that of the normal distribution. Conversely, values for these measures markedly different from 0 and 3 will usually indicate distributions which differ substantially from the normal one.

The measure of symmetry is computed as the third moment (the average value of the third powers of the deviations from the mean) divided by the third power of the standard deviation. The measure of kurtosis is the fourth moment divided by the fourth power of the standard deviation. In addition are presented comparisons of the sample by age, rank, and Corps; a correlation matrix, bivariate tables, and nomographs.


1 Personal communication—Mr. E. Churchill, Antioch College.

SECTION IV

SUMMARY DATA

Dimensi Numbe		Page
1	Hand Length	-
2	Hand Breadth; Metacarpale	12
3	Hand Circumference; Metacarpale	13
4	Hand Circumference; Metacarpale, Minimum	14
Ś	Hand Circumference; Fingertips Even	15
6′	Fist Circumference	16
7	Wrist Circumference	17
8	Hand Thickness; Metacarpale III	18
9	Hand Depth; Thenar Pad	19
1.0-12	Digit 1: Interphalangeal Joint; Breadth, Depth & Circumference	20
13-15	Digit 2: Distal Interphalangeal Joint; Breadth, Depth & Circumference	21
16-18	Digit 2: Proximal Interphalangeal Joint; Breadth, Depth & Circumference	22
19-21	Digit 3: Distal Interphalangeal Joint; Breadth, Depth & Circumference	23
22-24	Digit 3: Proximal Interphalangeal Joint; Breadth, Depth & Circumference	24
25-27	Digit 4: Distal Interphalangeal Joint; Breadth, Depth & Circumference	25
28-30	Digit 4: Proximal Interphalangeal Joint; Breadth, Depth & Circumference	26
31-33	Digit 5: Distal Interphalangeal Joint; Breadth, Depth & Circumference	27
34-36	Digit 5: Proximal Interphalangeal Joint	28
37	Wrist Breadth	29
38	Digit 1 Height; Perpendicular to Wrist Crease	30
39	Digit 2 Height; Perpendicular to Wrist Crease	31
40	Digit 3 Height; Perpendicular to Wrist Crease	32
41	Digit 4 Height; Perpendicular to Wrist Crease	33
42	Digit 5 Height; Perpendicular to Wrist Crease	34
43	Crotch 1 Height	35
44	Crotch 2 Height	36
45	Crotch 3 Height	37
46	Crotch 4 Height	38
47	Digit 1 Length; Fingertip to Crotch Level	39
48	Digit 2 Length; Fingertip to Crotch Level	40

Page			Dimension Title	vmension Vumber
41	evel	ip to Cr	3 Length; Fingerti	49 Digit 3
42	evel	tip to Cr	4 Length; Fingert	50 Digit 4
43	evel	tip to Cr	5 Length; Fingert	51 Digit 5
44	Crease	Tip to	1 Length; Total,	52 Digit
45	Crease	Tip to	2 Length; Total,	53 Digit
46	Crease	Tip to	3 Length; Total,	54 Digit
47	Crease	Tip to	4 Length; Total,	55 Digit
48	Crease	Tip to	5 Length; Total,	56 Digit



HAND LENGTH

Subject's right hand is extended, palm up. With the bar of the slicing caliper parallel to the long axis of her hand, measure the distance from the wrist crease baseline to the tip of the longest finger.



MEAN: 7.06 in.; 17.93 cm


STANDARD DEVIATION: 0.34 in.; 0.86 cm

5th PERCENTILE: 6.51 in.; 16.53 cm

95th PERCENTILE: 7.60 in.; 19.29 cm

D 0.12.2.001.		Percentiles*		
Range:	6.18-8.07 in.	%	%	
Coefficient of Variation:	4.79% [calculated on unrounded data]	1—6.37 in. 2—6.41 in. 3—6.45 in.	60—7.16 in. 70—7.25 in. 75—7.31 in.	
Kurtosis:	2.69	5-6.51 in. 10-6.61 in.	80—7.36 in. 85—7.42 in.	
Skewness:	0.04	15—6.69 in. 20—6.76 in. 25—6.82 in.	90—7.50 in. 95—7.60 in. 97—7.65 in.	
Sample Size: 211		30—6.87 in. 49—6.97 in. 50—7.06 in	98—7.69 in. 99—7.73 in.	

^{*}The percentile values for a particular set of data are treated as alongle plotted on normal-probability graph paper, and a smooth curve fitted to the points by conventional curve-fitting procedures.



HAND BREADTH;

METACARPALE

Subject's right hand is extended, palm down, thumb held away from the fingers. With the bar of the sliding caliper lying across the back of her hand, measure the breadth of the hand between metacarrial-phalangeal joints II and V.



MEAN: 3.03 in.; 7.71 cm


STANDARD DEVIATION: 0.15 in.; 0.38 cm

5th PERCENTILE: 2.78 in.; 7.06 cm

95th PERCENTILE: 3.28 in.; 8.32 cm

Range:	2.70-3.43 in.	%
Coefficient of Variation:	4.87%	2 3
Kurtosis:	2.74	5— 10—
Skewness:	0.05	15— 20—
Sample Size: 211		25— 30— 40—

Percentiles				
%	%			
1-2.70 in.	603.07 in.			
22.73 in.	70—3.11 in.			
3—2.75 in.	75—3.14 in.			
5—2.78 in.	80—3.16 in.			
10—2.84 in.	85—3.19 in.			
15—2.87 in.	90-3.22 in.			
20-2.90 in.	95—3.28 in.			
25-2.93 in.	97—3.32 in.			
30-2.96 in.	98-3.35 in.			
403.00 in.	99-3.40 in.			
50-3.04 in.				



HAND CIRCUMFERENCE;

METACARPALE



Subject's right hand is extended, palm down, thumb held away from the fingers. With the tape passing over metacarpal-phalangeal joints II and V, measure the circumference of the hand.

MEAN: 7.37 in.; 18.71 cm

STANDARD DEVIATION: 0.33 in.: 0.83 cm

5th PERCENTILE: 6.87 in.; 17.45 cm

95th PERCENTILE: 7.93 in.; 20.15 cm

		Percentiles	
Range:	6.57-8.31 in.	%	%
_		1—6.67 in.	60—7.43 in.
Coefficient of Variation:	4.43%	2—6.75 in.	70~-7.52 in.
		3—6.80 in.	75—7.57 in.
Kurtosis:	2.87	56.87 in.	80—7.64 in.
		10—6.97 in.	857.71 iu.
Skewness:	0.28	157.03 in.	90—7.80 in.
Dyemtiesé.	0.20	20—7.09 in.	95—7.93 in.
		257.14 in.	97—8.02 in.
		30—7.18 in.	98—8.08 in.
Sample Size: 211		40—7.26 in.	99—8.17 in.
		50—7.34 in.	
-			



HAND CIRCUMFERENCE;

METACARPALE, MINIMUM

Subject extends and narrows her right hand as much as possible. With the tape passing over metacarpal-phalangeal joints II and V, measure the circumference of the hand.



MEAN: 8.45 in.; 21.46 cm

STANDARD DEVIATION: 0.48 in.; 1.23 cm

5th PERCENTILE: 7.65 in.; 19.43 cm

95th PERCENTILE: 9.25 in.; 23.48 cm

Range:

7.07-10.04 in.

Coefficient of Variation: 5.73%

Kurtosis:

3.19

Skewness:

0.11

Sample Size: 211

Percentiles


2 6/ 66/111163			
%	%		
17.37 în.	60—8.57 in.		
2-7.47 in.	70—8:70 in.		
37.55 in.	75—8.77 in.		
57.65 in.	80—8.85 in.		
107.82 in.	85—8.94 in.		
15—7.94 in.	90—9.06 in.		
208.04 in.	95—9.25 in.		
25—8.12 in.	97—9.37 in.		
30—8.20 in.	989.47 in.		
408.33 in.	99—9.63 in.		
508.45 in.			



HAND CIRCUMFERENCE;

FINGERTIPS EVEN

Subject taps her five fingertips even on any flat surface. With the fingertips held even, measure the circumference of the hand around the midpoints of the proximal phalanges of all five digits.



MEAN: 8.90 in.; 22.60 cm

STANDARD DEVIATION: 0.46 in.; 1.17 cm

5th PERCENTILE: 8.16 in.; 20.73 cm

95th PERCENTILE: 9.69 in.; 24.62 cm

Range:

7.64-10.08 in.

Coefficient of Variation: 5.18%

Kurtosis:

2.86


Skewness:

0.12

Sample Size: 211

Percentiles

	,.,,
%	%
1-7.89 in.	60—9.00 in.
23.00 in.	70-9.14 in.
38.07 in.	75—9.21 in.
5—8.16 in.	80—9.30 in.
10—8.31 in.	859.39 in.
15—8.41 in.	90 <u>`</u> 9.52 in.
208.50 in.	95—9.69 în.
25—8.57 in.	97—9.80 in.
30—8.64 in.	98—9.88 in.
40—8.76 in.	99—10.00 in
50—-8.88 in.	



FIST CIRCUMFERENCE

Subject makes a tight fist with her thumb tucked against the middle phalanges of digits II and III. With the tape passing over the metacarpal-phalangeal joints of all five digits, measure the circumference of the fist.




MEAN: 9.78 in.; 24.83 cm

STANDARD DEVIATION: 0.52 in.; 1.31 cm

5th PERCENTILE: 9.00 in.; 22.86 cm

95th PERCENTILE: 10.70 in.; 27.18 cm

		Percen	Percentiles		
Range:	8.58-11.46 in.	%	% ,		
_		1—8.71 in.	60— 9.88 in.		
Coefficient of Variation:	5.27%	28.83 in.	70—10.03 in.		
	,	3—8.90 in.	75—10.12 in.		
Kurtosis:	3.04	5-9.00 in.	80—10.22 in.		
		10—9.15 in.	85—10.33 in.		
Skewness:	0.35	15—9.25 in.	90—10.48 in.		
Drewness.	0.00	20—9.34 in.	9510.70 in.		
		25—9.41 in.	97—10.84 in.		
G1. G! 011		30—9.48 in.	.98—10.93 in.		
Sample Size: 211		40—9.61 in.	99—11.07 in.		
		50—9.74 in.			



WRIST CIRCUMFERENCE

Subject's right hand is extended. With the tape perpendicular to the long axis of the forearm, measure the circumference of the wrist at the level of the wrist crease.



MEAN: 5.90 in.; 14.98 cm

STANDARD DEVIATION: 0.28 in.; 0.71 cm

5th PERCENTILE: 5.45 in.; 13.85 cm

95th PERCENTILE: 6.38 in.; 16.21 cm

Range: 5.23-6.73 in.

Coefficient of Variation: 4.75%


Kurtosis: 2.78

Skewness:

0.18 in.

Sample Size: 211

Percentiles -5.96 in. 5.27 in. 5.35 in. -5.04 in. 5.39 in. 6.09 in. -5.45 in. 80--6.14 in. -6.20 in. -5.54 in. 85 -5.61 in. 90--6.28 in. 20--5.66 in. 25--5.70 in. 95 -6.38 in. 97--6.45 in. -5.74 in. 98--6.50 in. 40—5.81 in. 99-6.56 in. -5.89 in.



HAND THICKNESS;

METACARPALE III

Subject's right hand is extended. With the sliding caliper, measure the maximum thickness of the metacarpal-phalangeal joint of digit III.




MEAN: 1.09 in.; 2.76 cm

STANDARD DEVIATION: 0.07 in.; 0.18 cm

5th PERCENTILE: 0.97 in.; 2.46 cm.


95th PERCENTILE: 1.20 in.; 3.05 cm

		Perc	Pcrcentiles		
Range:	0.94-1.30 in.	%	%		
		1—0.94 iň.	60—1.11 in.		
Coefficient of Variation:	6.41%	2—0.94 in.	70—1.13 in.		
, , , , , , , , , , , , , , , , , , , ,		3—0.95 in.	75—1.14 in.		
Kurtosis:	2.81	50.97 in.	80—1.15 in.		
	2.01	100.99 in.	85—1.16 in.		
Skewness:	0.07	15—1.01 in.	90—1.18 in.		
DACWIESS.	0.01	20—1.03 in.	95—1.20 in.		
		25—1.04 in.	97—1.22 in.		
a . a.		30—1.05 in.	98—1.23 in.		
Sample Size: 211		401.07 in.	991.26 in.		
		50—1.09 in.			



HAND DEPTH;

THENAR PAD



Subject's right hand is extended with the thumb lying adjacent to the volar surface of digit II. With the sliding caliper, measure the maximum depth from the volar side of the thenar pad to the dorsal surface of the hand.

McAN: 2.03 in.; 5.17 cm

STANDARD DEVIATION: 0.15 in.; 0:39 cm


5th PERCENTILE: 1.78 in.; 4.53 cm

95th PERCENTILE: 2,29 in.; 5.82 cm

Range:	1.65-2.40 in.	
Coefficient of Variation:	7.55%	
Kurtosis:	2.40	
Skewness:	0.01	
Sample Size: 211		
Sautho Spei arr		

Perce	ntiles
%	%
11.70 in.	60-2.08 in.
2-1.73 in.	70—2.12 in.
31.75 in.	75—2.15 il.
51.78 in.	802.17 in.
101.83 in.	85-2.20 in.
15-1.87 in.	90—2,24 in.
20—1.90 in.	95—2.29 in.
25—1.92 in.	972.32 in.
30—1.95 in.	98—2.34 in.
40—1.99 in.	99—2.36 in.
50-2.03 in.	

INTERPHALANGEAL — DIGIT I







DEPTH



CIRCUMFERENCE

Subject's right hand is extended. With the sliding caliper, measure the maximum breadth and maximum depth of the interphalangeal joint of digit 1. Using the formula $C = 2\pi \sqrt{\frac{a^2 + b^2}{2}}$, calculate the circumference of the joint.

		Breadth	Depth	Circumference	
	MEAN:	0.75 in.; 1.90 cm:	0.66 in.; 1.66 cm	2.21 in.; 5.67 cm	
	STANDARD				
	DEVIATION:	0.05 in.; 0.12 cm	0.04 in.; 0.12 cm	0.13 in.; 0.33 cm	
5th	PERCENTILE:	9.68 in.; 1.71 cm	0.59 in.; 1.49 cm	2.00 in.; 5.07 cm	
95th	PERCENTILE:	0.83 in.; 2:11 cm	0.74 in.; 1.87 cm	2.43 in.; 6.18 cm	

n.,	_		Pe	rcentiles	
Ea	υp	Circ	% Bd	Dp	Circ
6.13%	6.90%	5.95%		0.56 in.	1.95 i
3.95	5.77	4.24	3—0.67 in. 5—0.68 in.	0.58 in. 0.59 in.	1.97 i 2.00 i
0.49	-0.03	0.57	10—0.69 in. 25—0.72 in.	0.60 in. 0.63 in.	2.04 i 2.12 i
			500.75 in.	0.65 in.	2.21 i
					2.29 i 2.37 i
			950.83 in.	0.74 in.	2.43 i
					2.49 i 2.63 i
	3.95	6.13% 6.90% 3.95 5.77	6.13% 6.90% 5.95% 3.95 5.77 4.24	6.13% 6.90% 5.95% 10.65 in. 3.95 5.77 4.24 50.68 in. 0.49 -0.03 0.57 100.69 in. 250.72 in. 500.75 in. 750.78 in. 900.81 in.	6.13% 6.90% 5.95% 1—0.65 in. 0.56 in. 3—0.67 in. 0.58 in. 3—0.67 in. 0.58 in. 5—0.68 in. 0.59 in. 0.49 -0.03 0.57 10—0.69 in. 0.60 in. 25—0.72 in. 0.63 in. 50—0.75 in. 0.65 in. 75—0.78 in. 0.68 in. 90—0.81 in. 0.71 in. 95—0.83 in. 0.74 in. 97—0.85 in. 0.75 in.

^{*}The formula used presents an approximation of the joint circumference. The figure given will vary from the true circumference as the shape of the joint varies from that of an ellipse -- a = measured joint breadth; b = measured joint depth.

INTERPHALANGEAL — DIGIT 2







BREADTH

DEPTH

CIRCUMFERENCE

Subject's right hand is extended. With the sliding caliper, measure the maximum breadth and maximum depth of the distal interphalangeal joint of digit 2. Using the formula $C=2\pi\sqrt{\frac{a^2+b^2}{2}}$, calculate the circumference of the joint.

	Breadth	Depth.	Circumference	
MEAN:	0.61 in.; 1.54 cm	0.51 in.; 1.28 cm	1.76 in.; 4.46 cm	
STANDARD				
DEVIATION:	0.04 in.; 0.10 cm	0.04 in.; 0.09 cm	0.10 in.; 0.26 cm	
5th PERCENTILE:	0.54 in.; 1.38 cm	0.45 in.; 1.15 cm	1.60 in.; 4.08 cm	
95th PERCENTILE:	0.68 in.; 1.71 cm	0.57 in.; 1.45 cm	1.94 in.; 4.94 cm	

				, <u>1</u>	Percentiles	
	Bd	Dр	Circ	% Bd	Dр	Cirç
Coefficient of Variation:	6.33%	6.95%	5.85%	1—0.53 in. 3—0.54 in.	0.43 în. 0.44 in.	1.60 in. 1.60 in.
Kurtosis:	2.61	2.84	2.49	5-0.54 in.	0.45 in.	1.60 in.
Skewness:	0.33	0.42	0.36	10—0.55 in. 25—0.58 in.	0.46 in. 0.48 in.	1.62 in. 1.68 in.
Sample Size: 211	-			50—0.61 in. 75-—0.63 în. 90-—0.66 in.	0.50 in. 0.53 in. 0.56 in.	1.74 in. 1.82 in. 1.90 in.
				95—0.68 in. 97—-0.69 in.	0.57 in. 0.58 in.	1.94 in. 1.97 in.
				99—0.71 in.	0.60 in.	2.01 in.

PROXIMAL INTERPHALANGEAL JOINT

- DIGIT 2







DEPTH



CIRCUMFERENCE

Subject's right hand is extended. With the sliding caliper, measure the maximum breadth and maximum depth of the proximal interphalangeal joint of digit 2. Using the formula $C=2\pi\sqrt{a^2+b^2}$, calculate the circumference of the joint.

	Breadth	Depth	Circumference	
MEAN:	0.72 in.; 1.82 cm	0.64 in.; 1.62 cm	2.12 in.; 5.40 cm	
STANDARD				
DEVIATION:	0.04 din.; 0.10 cm	0.04 in.; 0.10 cm	0.11 in.; 0.29 cm	
5th PERCENTILE:	0.65 in.; 1.65 cm	0.57 in.; 1.45 cm	1.95 in:; 4.96 cm	
95th PERCENTILE:	0.79 in.; 2.00 cm	0.71 in.; 1.79 sm	2.31 in.; 5.88 cm	

				Percentiles			
	Bd	Dp	Circ	%	Dp	Bd	Circ
Coefficient of Variation:	5.66%	6.22%	5.30%	10.6		0.54 in.	1.91 in.
	0.01	0.70	0.44	3-0.6		0.56 in.	1.93 in.
Kurtosis:	3.61	2.72	3.64	50.6	5 in.	0.57 in <i>.</i>	1.95 in.
Skewness:	0.47	0.04	0.41	100.6	6 in:	0.58 in.	1.99 in.
Drewness:	0.11	7.0.2	0.71	25—0.6	9 in.	0.61 in.	2.05 in.
				50-0.7	1 in.	0.64 in.	2.12 in.
Sample Size: 211				750.7	4 in.	0.67 in.	2,20 in.
-				90-0.7	7 in.	0.69 in.	2.27 in.
				950.7	9 in.	0.71 in.	2.31 in.
				970.8	0 in.	0.72 in.	2.35 în.
				990.8		0.73 in.	2.42 in.

DISTAL INTERPHALANGEAL JOINT

DIGIT 3



BREADTH



DEPTH



CIRCUMFERENCE


Subject's right hand is extended. With the sliding caliper, measure the maximum breadth and maximum depth of the distal interphalangeal joint of digit 3. Using the formula $C=2\pi\sqrt{\frac{a^2+b^2}{2}}$, calculate the circumference of the joint.

		Breadth	Depth	Circumference	
	MEAN:	0.60 in.; 1.53 cm	0.52 in.; 1.31 cm	1.76 in.; 4.48 cm	
	STANDARD				
	DEVIATION:	0.04 in.; 0.09 cm	0.04 in.; 0.09 cm	0.10 in.; 0.26 cm	
5th	PERCENTILE:	0.54 in.; 1.38 cm	0.46 in.; 1.16 cm	1.61 jn.; 4.10 cm	
95th	PERCENTILE:	0.67 in.; 1.70 cm	0.58 in.; 1.48 cm	1.94 in.; 4.93 cm	

				P	ercentiles	
	Bd	.Dp	Circ	% Bd	Dp	Circ
		, -		1-0.53 in	0.43 in.	1.56 in.
Coefficient of Variation:	6.01%	7.11%	5.75%	3—0.54 in.	0.45 in.	1. 6 0 in.
Vantoria :	0.00	0.50	0.50	5—0.54 in.	0.46 in.	1.61 in.
Kurtosis:	2.90	2.78	2.79	100.56 in.	0.47 in.	1.64'in.
Skewness:	0.28	0.22	0.25	25—0.58 in.	0.49 in.	1.69 in.
,0110111100001	0.20	0,22	0.20	50—0.60 in.	0.51 in.	1.76 in.
				75—0.62 in.	0.54 in.	1.83 in.
Sample Size: 211				90—0.65 in.	0.57 in.	1.90 in.
				95—0.67 in.	0.58 in.	1.94 in.
				97—0.68 in.	0.59 in.	1.96 iñ.
-				99—0.69 in.	0.61 in.	1.99 in.

PROXIMAL INTERPHALANGEAL JOINT DIGIT 3







DEPTH

CIRCUMFERENCE

Subject's right hand is extended. With the sliding caliper, measure the maximum breadth and maximum depth of the proximal interphalangeal joint of digit 3. Using the formula $C=2\pi\sqrt{a^2+b^2}$, calculate the circumference of the joint.

		Breadth	Depth	Circumference
	MEAN:	0.72 in.; 1.83 cm	0.66, in.; 1.67 cm	2.17 in.; 5.50 cm
	STANDARD			
	DEVIATION:	0.04 in.; 0.10 cm	0.04 in.; 0.11 cm	0.11 in.; 0.28 cm
5th	PERCENTILE:	0.66 in.; 1.68 cm	0.59 in.; 1.49 cm	1.99 in.; 5.05 cm
95th	PERCENTILÉ;	0.79 in.; 2.01 cm	0.73 in.; 1.86 cm	2.36 in.; 6.00 cm

		Percenti			ercentiles	
	Bd	Dp	Circ	% Bd 1—0.65 in.	<i>Dp</i> 0.57 in.	<i>Circ</i> 1.95 in.
Coefficient of Variation:	•	6.50%	5.15%	30.66 in. 50.66 in.	0.58 in. 0.59 in.	1.97 in. 1.99 in.
Kurtosis:	3.38	3.09	3.31	10—0.67 in. 25—0.69 in.	0.60 in. 0.63 in.	2.02 in. 2.03 in.
Skewness:	0.40	0.26	0.44	50-0.72 in.	0.66 in.	2.16 in.
Sample Size: 211				75—0.75 in. 90—0.77 in.	0.69 in. 0.71 in.	2.23 in. 2.31 in.
				95—0.79 in. 97—0.80 in. 99—0.84 in.	0.73 in. 0.74 in. 0.77 in.	2.36 in. 2.40 in. 2.50 in.

DISTAL INTERPHALANGEAL — DIGIT 4







BREADTH

DEPTH

CIRCUMFÉRENCE

Subject's right hand is extended. With the sliding caliper, measure the maximum breadth and maximum depth of the distal interphalangeal joint of digit 4. Using the formula $C=2\pi\sqrt{a^2+b^2}$, calculate the circumference of the joint.

	Breadth	Depth	Circumference
MEAN:	0.57 in.; 1.43 cm	0.49 in.; 1.25 cm	1.66 in.; 4.22 cm
STANDARD			
DEVIATION:	0.03 in.; 0.09 cm	0.03 įn.; 0.09 cm	0.10 in.; 0.24 cm
5th PERCENTILE:	0.51 in.; 1.30 cm	0:43 in.; 1.10 cm	1.52 in.; 3.86 cm
95th PERCENTILE:	0.63 in.; 1.60 cm	0,55 in.; 1.40 cm	1.83 iñ.; 4:64 cm

				Percentiles		
	Bd	Dp	Ćirc	% <i>Bd</i> 1—0.49 in.	D_p 0.40 in.	<i>Circ</i> 1.43 in.
Coefficient of Variation:	5.91%	6.95%	5.70%	3—0.51 in. 5—0.51 in.	0.42 in. 0.43 in.	1.49 in. 1.52 in.
Kurtosis:	3.34	3.55	3.5 5	10—0.52 in.	0.45 in.	1.55 in.
Skewness:	0.50	0.13	0.38	25—0.54 in. 50—0.56 in.	0.47 in. 0.49 in.	1.60 in. 1.65 in.
Sample Size: 211				75—0.59 in. 90—0.61 in.	0.51 in. 0.54 in.	1.71 in. 1.78 in.
				95—0.63 in. 97—0.64 in.	0.55 in. 0.56 in.	1.83 in. 1.86 in.
				99—0.65 in.	0.58 in.	1.92 in.

PROXIMAL INTERPHALANGEAL JOINT

DIGIT 4







DEPTH



CIRCUMFERENCE

Subject's right hand is extended. With the sliding caliper, measure the maximum breadth and maximum depth of the proximal interphalangeal joint of digit 4. Using the formula $C=2\pi\sqrt{a^2+b^2}$, calculate the circumference of the joint.

	Breadth	Depth	Circumference
MEAN:	0.67 's; 1.69 cm	0.62 in.; 1.57 cm	2.01 in.; 5.12 cm
STANDARD			
•	•	0.04 in.; 0.1:1 cm	•
5th PERCENTILE:	0.60 in.; 1.51 cm	0.55 in.; 1.39 cm	1.85 în.; 4.69 cm.
95th PERCENTILE:	0.73 in.; 1.85 cm	0.69 in.; 1.76 cm	2.20 in.; 5.59 cm

				P	Percentiles	
Coefficient of Variation: Kurtosis:	Bd 5.80 % 2.77	Dp- 6.84% 2.79	Circ 5.19% 3,25	% Bd 10.58 in. 30.59 in. 50.60 in. 100.61 in.	Dp 0.53 in. 0.54 in. 0.55 in.	Circ 1.79 in. 1.83 in. 1.85 in.
Skewness: Sample Size: 211	0.01	0.24	0.23	25—0.64 in. 50—0.67 in. 75—0.69 in. 90—0.71 in.	0.56 in. 0.59 in. 0.62 in. 0.65 in. 0.67 in.	1.88 in. 1.94 in. 2.01 in. 2.08 in. 2.16 in.
				95—0.73 in. 97—0.74 in. 99—0.76 in.	0.69 in. 0.70 in. 0.73 in.	2.20 in. 2.23 in. 2.30 in.

DISTAL INTERPHALANGEAL JOINT

- DIGIT 5







DEPTH



CIRCUMFERENCE

Subject's right hand is extended. With the sliding caliper, measure the maximum breadth and maximum depth of the distal interphalangeal joint of digit 5. Using the formula $C=2\pi\sqrt{\frac{a^2+b^2}{2}}$, calculate the circumference of the joint.

	Breadth	Depth	<i>Circumference</i>
MEAN:	0.52 in.; 1.31 cm	0.45 in.; 1.13 cm	1.52 în.; 3.86 cm
STANDARD			
DEVIATION:	0.03 in.; 0.09 cm	0.03 in.; 0.09 cm	0.09 in.; 0.24 cm
5th PERCENTILE:	0.46 in.; 1.17 cm	0.39 in.; 0.99 cm	1.38 in.; 3.51 cm
95th PERCENTILE:	0.58 in.; 1.47 cm	0.51 in.; 1.29 cm	1.67 in.; 4.24 cm


				Percentiles		
	Bd	Dp	Circ	% <i>Bd</i> 1—0.45 in.	D_p 0.37 in.	<i>Circ</i> 1.36 in.
Coefficient of Variation:	6.58%	7.51%	6.16%	3—0.46 in. 5—0.46 in.	0.38 in. 0.39 in.	1.37 in. 1.38 in.
Kurtosis:	2.88	3.40	3.24	10-0.47 in.	0.40 in.	1.40 in.
Skewness:	0.25	0.32	0.22	25—0.49 in. 50—0.52 in.	0.42 in. 0.45 in.	1.43 in. 1.51 in.
Sample Size: 211				75—0.54 in. 90—0.56 in.	0.47 in. 0.49 in.	1.59 in. 1.63 in.
				950.58 in. 970.59 in.	0.51 in. 0.52 in.	1.67 in. 1.71 in.
				99—0.61 in.	0.54 in.	1.75 in.

PROXIMAL INTERPHALANGEAL JÖINT

- DIGIT 5







DEPTH




CIRCUMFERENCE

Subject's right hand is extended. With the sliding caliper, measure the maximum breadth and maximum depth of the proximal interphalangeal joint of digit 5. Using the formula $C=2\pi\sqrt{\frac{a^2+b^2}{2}}$, calculate the circumference of the joint.

		Breadth	Depth	Circumference
	MEAN:	0.57 in.; 1.46 cm	0.55 in.; 1.39 cm	1.77 in.; 4.48 cm
	STANDARD			
	DEVIATION:	0.04 in.; 0.09 cm	0.04 in.; 0.09 cm	0.10 in.; 0.25 cm
/5th	PERCENTILE:	0.52 in.; 1.32 cm	0.50 in.; 1.27 cm	1.63 in.; 4.13 cm
95th	PERCENTILE:	0.65 in.; 1.64 cm	0.61 in.; 1.56 cm	1.95 in.; 4.94 cm

				Percentiles		
Charles to a Carlotte Carlo	Bđ c o a c	Dp	Circ	% <i>Bd</i> 1—0.49 in. 3—0.51 in.	<i>Dp</i> 0.47 in. 0.49 in.	1.55 1.60
Coefficient of Variation:	6.37%	6.46%	5.66%	5—0.52 in.	0.50 in.	1.63
Kurtosis: Skewness:	3.16 0.68	6.92 0.60	3.82 0.60	100.53 in. 250.55 in.	0.51 in. 0.53 in.	1.66 1.70
Drewness.	0.00	0.00	0.00	50—0.57 in. 75—0.60 in.	0.55 in. 0.57 in.	1.75 1.82
Sample Size: 211				90-0.62 in.	0.59 in.	1.89
			-	950.65 in. 970.66 in. 990.68 in.	0.61 in. 0.63 in. 0.67 in.	1.95 1.99 2.07



WRIST BREADTH

Subject's right hand and wrist lie on the measuring board. With the sliding caliper, measure the breadth of the wrist at the level of the wrist crease baseline.




MEAN: 2.29 in.; 5.83 cm

STANDARD DEVIATION: 0.13 in.; 0.33 cm

5th PERCENTILE: 2.11 in.; 5.36 cm

95th PERCENTILE: 2.54 in.; 6.44 cm


_		Percentiles			
Range:	2.01-2.68 in.	%	%		
Coefficient of Variation:	5.61%	1—2.04 in. 2—2.07 in.	60—2.31 in. 70—2.35 in.		
Kurtosis:	3.04	3—2.09 in. 5—2.11 in. 10—2.14 in.	75—2.37 in. 80—2.40 in. 85—2.43 in.		
Skewness:	0.54	10—2.14 in. 15—2.17 in. 20—2.18 in.	90—2.47 in. 95—2.54 in.		
		25—2.20 in, 30—2.22 in.	97—2.58 in. 98—2.61 in.		
Sample Size: 211		40—2.25 in. 50—2.28 in.	99—2.65 in.		



DIGIT 1 HEIGHT;

PERPENDICULAR TO WRIST CREASE

Measured on the data blank, the perpendicular distance from the wrist crease baseline to the midpoint of the tip of digit 1.




MEAN: 3.40 in.; 8.64 cm

STANDARD DEVIATION: 0.33 in.; 0.84 cm

5th PERCENTILE: 2.84 in.; 7.21 cm

95th PERCENTILE: 3.94 in.; 10.00 cm


		Percentiles		
Range:	2.51-4.29 in.	%	%	
		1—2:60 in.	60-3.49 in.	
Coefficient of Variation:	9.69 %	2-2.69 in.	70—3.58 in.	
	0.00 /0	3—2.75 in.	75—3.62 in.	
Kurtosis:	2.98	5—2.84 in.	80—3.67 in.	
Rui tosis.	4.00	10—2.97 in.	85—3.73 in.	
Skewness:	-0.07	15—3.06 in.	90—3.81 in.	
Skewitess:	-0.01	20—3.13 in.	95—3.94 in.	
		25—3.19 in.	97—4.03 in.	
		30—3.24 in.	98—4.10 in.	
Sample Size: 211		40—3.33 in.	99—4.23 in.	
		50—3.41 in.		



DIGIT 2 HEIGHT;

PERPENDICULAR TO WRIST CREASE

Measured on the data blank, the perpendicular distance from the wrist crease baseline to the midpoint of the tip of digit 2.




MEAN: 6.47 in.; 16.43 cm

STANDARD DEVIATION: 0.36 in.; 0.92 cm

5th PERCENTILE: 5.87 in.; 14.91 cm


95th PERCENTILE: 7.05 in.; 17.90 cm

		Pérce	ntiles
Range:	5.47-7.56 in.	%	%
		1-5.70 in.	60—6,5% in.
Coefficient of Variation:	5.58%	2—5.76 in. 3—5.80 in.	70—6.67 in. 75—6.73 in.
Kurtosis:	ž.72	5—5.87 in.	80-6.79 in.
Trainsia.	2.12	10—5.99 in.	856.85 in.
Skewness:	=0.01	15—6.08 in.	90—6.93 in.
DACTICOS.	÷ 0.01	20—6.15 in.	95—7.05 in.
		256.21 in.	97—7.12 in.
		30—6.27 in.	98—7.16 in.
Sample Size: 211		40—6.38 in.	99—7.24 in.
		50—3.47 iñ.	



DIGIT 3 HEIGHT;

PERPENDICULAR TO WRIST CREASE



Measured on the data blank, the perpendicular distance from the wrist crease baseline to the midpoint of the tip of digit 3.


MEAN: 6:94 in.; 17.63 cm

STANDARD DEVIATION: 0.35 in.; 0.88 cm

5th PERCENTILE: 6.38 in.; 16.20 cm

95th PERCENTILE: 7.50 in.; 19.05 cm

		Percentiles		
D	6.02-7.95 in.	%	%	
Range:	0.02-1.30 III.	1-6.17 in.	60—7.04 in.	
Coefficient of Variation:	4.97%	2-6.25 in.	70—7.14 in. 75—7:19 in.	
Coefficient of variation.	4.51 70	3—6.30 in. 5—6.38 in.	75—7:19 m. 80—7.25 in.	
Kurtosis:	2.72	106.49 in.	85—7.32 in.	
Rui tosis.		15—6.58 in.	90—7.40 in.	
Skewness:	-0.01	20—6.64 in.	957,50 in.	
Site Wildow	• • • • • • • • • • • • • • • • • • • •	25—6.70 in.	97—7.56 in.	
		30—6.75 in.	98—7.59 in.	
Sample Size: 211		40—6.85 in. 50—6.94 in.	99—7.63 in.	
wanted would are		500.34 III.		



DIGIT 4 HEIGHT;

PERPENDICULAR TO WRIST CREASE

Measured on the data blank, the perpendicular distance from the wrist crease baseline to the midpoint of the tip of digit 4.



MEAN: 6.44 in.; 16.36 cm

STANDARD DEVIATION: 0.35 in.; 0.89 cm

5th PERCENTILE: 5.88 in.; 14.95 cm


95th PERCENTILE: 7.02 in.; 17.84 cm

Range:	5.43-7.52 ir
Coefficient of Variation:	5.42%
Kurtosis:	3.14

Skewness: 0.10

Sample Size: 211


Percentiles			
%	%		
1-5.67 in.	60—6.53 in.		
2-5.76 in.	70—6.62 in.		
3—5.81 in.	75—6.68 in.		
5—5.88 in.	80-6.74 in.		
10—6.00 in.	85—6.81 in.		
15—6.08 in.	90—6.90 in.		
20—6.14 in.	95—7.02 in.		
25—6.20 in.	97-7.10 in.		
306.25 in.	98-7.16 in.		
406.35 in.	997.24 in.		
506.44 in.			



DIGIT 5 HEIGHT;

PERPENDICULAR TO WRIST CREASE

Measured on the data blank, the perpendicular distance from the wrist crease baseline to the midpoint of the tip of digit 5.



Norcentiles


MEAN: 5.12 in.; 13.00 cm

STANDARD DEVIATION: 0.35 in.; 0.89 cm

5th PERCENTILE: 4.53 in.; 11.52 cm


95th PERCENTILE: 5.68 in.; 14.44 cm

) E-11 CE!	###C2
Range:	4.06-6.22 in.	%	· %
		1—4.35 in.	60—5.20 in.
Coefficient of Variation:	6.87%	2—4.41 in.	70—5.29 in.
Cocificient of Authorism.	0.0170	3-4.46 in.	75.—5.34 in:
Kurtosis:	3.45	54.53 in.	80—5.39 in.
Rui tosis.	0.40	10—4.66 in,	85—5.45 in.
Q1	0.00	15—4.76 in.	90—5.54 in.
Skewness:	0.02	20—4.83 in.	95—5.68 in.
		25—4.89 in.	975.80 in.
		30—4.94 in.	98—5.89 in.
Sample Size: 211		405.04 in.	99—6.07 in.
_		505.12 in.	



CROTCH 1 HEIGHT

Measured on the data blank, the perpendicular distance from the wrist crease baseline to the level of hand crotch $\hat{\mathbf{1}}$.




MEAN: 2.25 in.; 5.72 cm

STANDARD DEVIATION: 0.22 in.; 0.56 cm

5th PERCENTILE: 1.91 in.; 4.85 cm

95th PERCENTILE: 2.63 in.; 6.69 cm

		Percer	ntiles
Range:	1.65-2.80 in.	%	%
		1—1.72 in.	60—2.30 in.
Coefficient of Variation:	9.73%	2—1.81 in.	70—2.36 in.
	Ç. (1)/0	3—1.85 in.	75—2.40 in.
Kurtosis:	2.76	5—-1.91⊱in.	80—2.44 in.
Kui wais.	2.10	10—1.99 in.	85—2.49 in.
Q1	0.00	15—2.03 in.	90—2.55 in.
Skewness:	0.09	20—2.07 in.	952.63 in.
-	-	25—2.10 in.	97—2.68 in.
		30—2.13 in.	98—2.71 in.
Sample Size: 211		40—2.18 in.	99—2.73 in.
-		50-2.24 in.	



CROTCH 2 HEIGHT

Measured on the data blank, the perpendicular distance from the wrist crease baseline to the level of hand crotch 2.




MEAN: 3.88 in.; 9.86 cm

STANDARD DEVIATION: 0.24 in.; 0.60 cm

5th PERCENTILE: 3.49 in.; 8.87 cm 95th PERCENTILE: 4.27 in.; 10.85 cm

		Percentiles	
Range:	3.31-4.65 in.	%: 1—3.37 in.	% 60—3.9% in.
Coefficient of Variation:	6.03%	1—3.37 in. 2—3.41 in. 3—3.44 in.	70—4.00 in. 75—4.03 in.
Kurtosis:	3.18	5—3.49 in. 10—3.58 in.	80—4.07 in. 85~-4.12 in.
Skewness:	0.16	15—3.64'in. 20—3.68 in. 25—3.72 in.	96—4.17 in. 95—4.27 in. 97—4.34 în.
Sample Size: 211		25—3.12 m. 30—3.76 in. 40—3.82 in. 50—3.88 in.	98—4.40 in. 99—4.51 in.



CRCTCH 3 HEIGHT

Measured on the data blank, the perpendicular distance from the wrist crease baseline to the level of hand crotch 3.




MEAN: 3.86 in.; 9.81 cm

STANDARD DEVIATION: 0.23 in.; 0.59 cm

5th PERCENTILE: 3.49 in.; 8.86 cm


95th PERCENTILE: 4.24 in.; 10.78 cm

		Percen	tiles
Ranges	3,25-4,72 in.	%	%
		1-3.38 in.	60—3.92 in.
Coefficient of Variation:	6.04%	2-3.42 in.	70—3.98 in.
- 		3—3,44 in.	75—4.01 in.
Kurtosis:	3.72	5—3.49 in.	80—4.05 in.
ZKGI VODIO:	3.12	10—3.56 in.	85—4.09 in.
Skewness:	0.35	153.62 in.	90—4.15 in.
prémuess:	0.55	20—3.66 in.	95—4.24 in.
		25—3.70 in.	97—4.31 in.
		303.74 in.	98_4.36 in.
Sample Size: 211		403.80 in.	99—4.45 in.
		50—3.86 in.	



CROTCH 4 HEIGHT

Measured on the data blank, the perpendicular distance from the wrist crease baseline to the level of hand crotch 4.




MEAN: 3.43 in.; 8.72 cm

STANDARD DEVIATION: 0.24 in.; 0.60 cm

5th PERCENTILE: 3.02 in.; 7.67 cm

95th PERCENTILE: 3.81 in.; 9.67 cm

		Percentiles	
Range:	2.76-4.06 in.	%	_%
		1—2.89 in.	60—3.50 in.
Coefficient of Variation:	6.91%	22.93 in.	70—3.56 in.
		3—2.97 in.	75—3.59 in.
Kurtosis:	2.97	5—3.02 in.	80-3.63 in.
		10—3.11 in.	85—3.67 in.
Skewness:	-0.09	15—3.18 in.	903.72 in.
	****	20—3.23 in.	95—3.81 in.
		25—3.27 in.	97—3.37 in,
Commis Cines 011		30—3.31 in.	98—3.92 in.
Sample Size: 211		403.38 in.	99—4.02 in.
		50—3.44 in.	



DIGIT 1 LENGTH;

FINGERTIP TO CROTCH LEVEL

Measured on the data blank, the distance along the axis of digit 1 from the midpoint of the tip of digit 1 to the level of hand crotch 1.




MEAN: 2.12 in.; 5.37 cm

STANDARD DEVIATION: 0.17 in.; 0.44 cm

5th PERCENTILE: 1.84 in.; 4.68 cm


95th PERCENTILE: 2.41 in.; 6.12 cm


		Percen	tiles
Range:	1.77-2.76 in.	%	%
J	,	1—1.77 in.	602.15 in.
Coefficient of Variation:	8.23%	2—1.80 in.	70—2.21 in.
		3—1.82,in.	752.24 in.
Kurtosis:	3.03	5—1.84 in.	80—2.27 in.
7201 00000	0.00	10—1.89 in.	85-2.30 in.
Skewness:	0.36	15—1.93 iñ.	902.35°in.
one whees.	0.00	20—1.96 in.	95—2.41 in.
-		25—1.99 in.	97—2.45 in.
Canada Cinas 011		30—2.01 in.	98—2.47%in.
Sample Size: 211		40—2.06 in.	992.50 in.
		50—2.11 in.	



DIGIT 2 LENGTH;

FINGERTIP TO CROTCH LEVEL






MEAN: 2.72 in.; 6.90 cm

STANDARD DEVIATION: 0.20 in.; 0.52 cm

5th PERCENTILE: 2.40 in.; 6.10 cm

95th PERCENTILE: 3.07 in.; 7.80 cm


	•	Percentiles	
Range:	2.05-3.23 in.	%	%
	•	1—2.13 in.	60—2.75 in.
Coefficient of Variation:	7.52%	22.26 in.	70-2.81 in.
		3—2:33 in.	752.84 in.
Kurtosis:	3.64	5—2.40₁in.	802.88 in.
	0.01	102.49 in.	852.93 in.
Skewness:	-0.17	15—2.54 in.	902.99 in.
Drewness,	V.A.	202.5T in.	953.07 in.
		25—2.66 in.	97—3.12 in.
0 1 0 014		30—2.62 in.	98—3.15 in.
Sample Size: 211		40—2.66 in.	99—3.19 in.
		50—2.71 in.	



DIGIT 3 LENGTH;

FINGERTIP TO CROTCH LEVEL

Measured on the data blank, the distance along the axis of digit 3 from the midpoint of the tip of digit 3 to the average level of hand crotch 2-3.




MEAN: 3.07 in.; 7.79 cm

STANDARD DEVIATION: 0.20 in.; 0.51 cm

5th PERCENTILE: 2.76 in.; 7.01 cm

95th PERCENTILE: 3.42 in:; 8.68 cm

		Percei	ítiles
Range:	2.40-3.54 in.	%	%
		1—2.51 in.	60—3.11 in.
Coefficient of Variation:	6.49%	2—2.63 in.	70—3.16 in.
Occiliation of Amamon.	0.20 /0	3-2.69 in.	75—3.20 in.
Kurtosis:	3.56	5—2.76 in.	80—3.23 in.
Rurtosis:	5.50	10—2.84 ĭn.	85—3.28 in.
C1	0.00	152.89 in.	90 <u>~</u> 3.34 in.
Skewness:	-0.20	20—2.92 in.	95—3.42 in.
		25—2.95 in.	97—3.46 in.
		30—2.97 in.	98—3.49 in.
Sample Size: 211		40—3.02 in.	99—3.53 in.
-		50—3.06 in.	



DIGIT 4 LENGTH;

FINGERTIP TO CROTCH LEVEL

Measured on the data blank, the distance along the axis of digit 4 from the midpoint of the tip of digit 4 to the average level of hand crotch 3-4.




MEAN: 2.88 in.; 7.31 cm

STANDARD DEVIATION: 0.20 in.; 0.52 cm

5th PERCENTILE: 2.57 in.; 6.52 cm

95th PERCENTILE: 3.24 in; 8.22 cm

		Percei	ntiles
Range:	2.17-3.43 in.	%	%
		1—2.25 in.	60—2.91 iñ.
Coefficient of Variation:	7.05%	2—2.41 in.	70—2.96 in.
		32.48 in.	75—3.00 in.
Kurtosis:	4.15	5 <u>~</u> 2.57 in.	89—3.03 in.
	****	10—2.66 in.	853.08 in.
Skewness:	-0.21	152.71 in.	90—3.14 in.
one i ness.	V.\$1	20—2.74 in.	95—3.24 in.
		25—2.77 in.	97—3.29 in.
G 1 G1 044		30—2.79 in.	98—3.33 in.
Sample Size: 211		40—2.83 in.	99—3.38 in.
		50-2.87 in.	



DIGIT 5 LENGTH;

FINGERTIP TO CROTCH LEVEL

Measured on the data blank, the distance along the axis of digit 5 from the midpoint of the tip of digit 5 to the level of hand crotch 4.




MEAN: 2.15 in.; 5.46 cm

STANDARD DEVIATION: 0.17 in.; 0.44 cm

5th PERCENTILE: 1.89 in.; 4.80 cm

95th PERCENTILE: 2.46 in.; 6.24 cm

		Percei	Percentiles	
70	1 55 0 00 :	%	%	
Range:	1.57-2.60 in.	1—1.78 in.	60—2.19 in.	
G 44: 1 277 11:	0.000	2—1.83 in.	70—2.24 in.	
Coefficient of Variation:	8.06%	3—1.85 in.	75—2.27 in.	
		5—1.89 in.	80—2.30 in.	
Kurtosis:	3.12	10—1.94 in.	85—2.34 in.	
		15—1.97 in.	90—2.39 in.	
Skewness:	0.06	20—2.00 in.	952.46 in.	
		25—2.03 in.	97—2.49 in.	
		30—2.05 in.	98—2.52 in.	
m 01 011		40—2.10 in.	99—2.55 in.	
Sample Size: 211		50—2.14 in.		



DIGIT 1 LENGTH;

TOTAL, TIP TO WRIST CREASE

Measured on the data blank, the distance along the axis of digit 1 from the midpoint of the tip of digit 1 to the wrist crease baseline.



MEAN: 4.35 in.; 11.05 cm

STANDARD DEVIATION: 0.40 in.; 1.00 cm

5th PERCENTILE: 3.75 in.; 9.53 cm

95th PERCENTILE: 5.05 in.; 12.83 cm

Range: 3.43-5.31 in.


Coefficient of Variation: 9.07%

Kurtosis: 2.56

Skewness: 0.20

Sample Size: 211

Percentiles 3.52 in. 4.43 in. 3.62 in. 4.56 in. 3.67 in. 4.62 in. 4.70 in. 3.75 in. 3.86 in. 4.79 in. 3.94 in. 4.90 in. 4.00 in. 5.05 in. 4.06 in. 5.13 in. -5.19 in. 4.12 in. 4.22 in. -5.25 in. -4.32 in. 50-



DIGIT 2 LENGTH;

TOTAL, TIP TO WRIST CREASE

Measured on the data blank, the distance along the axis of digit 2 from the midpoint of the tipof digit 2 to the wrist crease baseline.




MEAN: 6.56 in.; 16.67 cm

STANDARD DEVIATION: 0.35 in.; 0.89 cm


5th PERCENTILE: 5.99 in.; 15.21 cm 95th PERCENTILE: 7.14 in.; 18.14 cm


		Percen	tiles
Range:	5.79-7.68 in.	7 .	%
Indiac.	0.19-8.00 111.	1.—5.81 in.	60—6.66 in.
Coefficient of Variation:	E 280%	2—5.87 in.	70—6.75 in.
Coefficient of Variation.	0.0070	3—5.92 in.	75—6.81 in.
Transferênce	o ar	5—5.99 in.	806.87 in.
Kurtosis:	2.75	106.10 in.	85—6.94 in.
		15—6.19 in.	90—7.02 in.
Skewness:	0.12	20—6.25 in.	957.14 in.
		25—6.32 iп.	97—7.22 in.
		306.37 in.	98—7.28 in.
Sample Size: 211		40—6.47 in.	99—7.37 in.
		50—6.56 in.	



DIGIT 3 LENGTH;

YOTAL, TIP TO WRIST CREASE






MEAN: 6.95 in.; 17.65 cm

STANDARD DEVIATION: 0.34 in.; 0.87 cm

5th PERCENTILE: 6.38 in.; 16.22 cm


95th PERCENTILE: 7.50 in.; 19.05 cm


	-	Percen	tiles
Range:	6.06-7.95 in.	%	%
		1—6.21 in.	607.04 in.
Coefficient of Variation:	193%	2—6.27 in.	70—7.14 in.
coefficient of variation.	4.00 /0	3—6.32 in.	75—7.20 in.
Kurtosis:	2.65	5—6.38 in.	80—7,25 in.
Aurosis:	2.00	10—6.50 in.	85—7.32 in.
61.	2.25	15—6.58 in.	90—7.40 in.
Skewness:	0.01	20—6.64 in.	95—7.50 in.
		25—6.70 in.	977.55 in.
		30—6.76 in.	987.59 in.
Sample Size: 211		40—6.86 in.	99—7.63 in.
-		506.95 in.	÷



DIGIT 4 LENGTH;

TOTAL, TIP TO WRIST CREASE






MEAN: 6.60 in.; 16.76 cm

STANDARD DEVIATION: 3.52 in.; 8.94 cm

5th PERCENTILE: 6.02 in.; 15:28 cm

95th PERCENTILE: 7.17 in.; 18.20 cm

		Percei	ntiles
Range:	5.75-7.68 in.	%	56
		1—5.82 in.	60—6.69 in.
Coefficient of Variation:	5.34%	2—5.89 in.	70—6.79 in.
		3—5.94 in.	75—6.85 in.
Kurtosis:	2.94	56.02 in.	80—6.91 in.
		10—6.14 in.	85—6.97 in.
Skewness:	0.05	15—6.22 in.	90—7.05 in.
DACWIESS.	0.05	20—-6.29 in.	95—7.17 in.
		25—6.35 in.	97—7.23 in.
		306.41 in.	98—7.28 in.
Sample Size: 211		40—6.51 in.	99—7.34 in.
	_	50—6.60 in.	



DIGIT 5 LENGTH;

TOTAL, TIP TO WRIST CREASE



Measured on the data blank, the distance along the axis of digit 5 from the midpoint of the tip of digit 5 to the wrist crease baseline.

MEAN: 5:76 in.; 14.64 cm

STANDARD DEVIATION: 0.36 in.; 0.92 cm

5th PERCENTILE: 5.16 in.; 13.11 cm

95th PERCENTILE: 6.35 in.; 16.12 cm

		Percen	tiles
Range:	4.84-6.89 in.	ربه	%
_		15.00 in.	60—5.86 in.
Coefficient of Variation:	6.28%	2—5.05 in.	70—5.96 in.
•		3—5.09 in.	75—5.01 in.
Kurtosis:	3.05	5—5.16 in.	80—6.06 in.
1 C C C C C C C C C C C C C C C C C C C	0.00	10—5.29 in.	856.13 in:
Skewness:	0.11	15—5.38 in.	90—6.21 in.
CACWHESS.	0.11	20—5.46 in.	95—6.35 in.
		25—5.52 in.	97—6.45 in.
		30—5.58 in.	98—6.53 in.
Sample Size: 211		40—5.68 in.	99—6.69 in.
		50—5.78 in.	

SECTION V

IDENTIFICATION AND COMPARISON OF THE SAMPLE

SAMPLE BY RANK AND CORPS

Rank	WAF N	urse Corps	BSC	Total #
Airman Basic	53			53
Airman Second Class	6			6
Airman First Class	26			26
Sergeant	27			27
Staff Sergeant	2			2
Technical Sergeant				
Master Sergeant	1			1
Senior Master Sergeant	1			1
Officer Candidate	14		_	14
Second Lieutenant	8	19	``	27
First Lieutenant	3	23	-	26
Captain	1	11		12
Major		7	1	8
Lieutenant Colonel		7		7
Colonel		1		1
	142,	68	1	211

Note: Nurse Corps Ratings include; Flight Nurse—2 Capts., 4 Majs., 2 L/Cs. Senior Flight Nurse—1 L/C. Aerospace Nurse—1 Maj.

Note: The Nurse Corps and Biomedical Science Corps are composed entirely of Commissioned Officers.

SAMPLE BY AGE AND CORPS

Age	WAF	Nurse Corps	BSC	Total #
18	28	-		28
19	22	-	•	22
20	23			23
21	17	· 3		20
22	12`	5		17
23	13	13	_	26
24	10	8		18
25	6	6		12
26	4			4
27	2	1		3
28	-	5		5
29		2		2
30		2	-	2
31		1	_	1
32		2		2
33	2	1		3
34	1	1		2
35	_	1	—	1
36	1	2		3
37	_	*/methods	1	1
38	_	1		1
39		1		1
40		4		4
41	_			0
42		1		1
43	1	1		2
44	****		- ,	0
45		2		2
46-56	-	5		5
	142	68	- 1,	211

COMPARISON OF SELECTED SUMMARY STATISTICS WITHIN AGE GROUP 21-30

Sample of 46 in Nurse Corps (100% Commissioned)
Sample of 63 in WAF (38% Commissioned)

Dimension	Corps	Mean	S.D.
Hand Length	Nurse	7.10 in.	0.34 in.
	WAF	7.05 in.	0.34 in.
Hand Breadth; Meta	Nurse	3.06 in.	0.14 in.
	WAF	3.01 in.	0.15 in.
Hand Circumference;	Nurse	7.37 in.	0.31 in.
Metacarpale	WAF	7.33 in.	0.33 in.
Fist Circumference	Nurse	9.86 in.	0.48 in.
	WAF	9.63 in.	0.50 in.
Wrist Circumference	Nurse	5.92 in.	0.28 in.
	WAF	5.86 in.	0.28 in.
Hand Thickness; Meta III	Nurse	1.09 in.	0.07fin.
	WAF	1.07 in.	0.07fin.
Hand Depth; Thenar Pad	Nurse	2.08 in.	0.14 in.
	WAF	2.00 in.	0.16 in.
Digit 3 Circumference;	Nurse	1.78 in.	0.09 in.
Distal Interph. Jt.	WAF	1.75 in.	0.10 in.
Digit 3 Circumference;	Nurse	2.19 in.	0.12 in.
Proximal Interph. Jt.	WAF	2.15 in.	0.11 in.
Wrist Breadth	Nurse	2.29 in.	0.11 in.
	WAF	2.29 in.	0.13 in.
Crotch 3 Height	Nurse	3.88 in.	0.22 in.
	WAF	3.86 in.	0.26 in.
Stature	Nurse	64.45 in.	2.58 in.
	WAF	64.14 in.	2.49 in.
Weight	Nurse	134.43 lbs	9.20 lbs
	WAF	126.40 lbs	7.71 lbs

Although the differences of the means for each dimension between Corps are small, the probability of one group being so consistently larger, using the Sign Test (ref. Siegel, 3, 1956), is p. <.001. Thus, the Null hypothesis being rejected, age 21-30 Nurses have slightly larger hands than the same age group WAF.

SUMMARY STATISTICS BY AGE GROUP

Dimension	Age Gi	oup	Mean	S.D.
Hand-Length	< 20 years	(N = 73)	6.98 in.	0.31 in.
	21-39 years	(N = 109)	7.08 in.	0.34 in.
	> 21 years	(N = 29)	7.22 in.	0.32 in.
Hand Breadth; Meta.	< 20 years	(N=73)	3.00 in.	0.14 in.
	21-30 years	(N=109)	3.03 in.	0.15 in.
	> 31 years	(N=29)	3.12 in.	0.13 in.
Hand Circumference; Metacarpale	< 20 years 21-30 years > 31 years	(N=73) (N=109) (N=29)	7.31 in. 7.35 in. 7.57 in.	0.30 in. 0.32 in. 0.34 in.
Fist Circumference	< 20 yearş	(N=73)	9.69 in.	0.46 in.
	21-30 years	(N=109)	9.72 in.	0.50 in.
	> 31 years	(N=29)	10.21 in.	0.48 in.
Hand Circumference: Minimum, Meta.	< 20 years 21-30 years >31 years	(N=73) (N=109) (N=29)	8.39 in. 8.44 in. 8.63 in.	0.47 in. 0.48 in. 0.49 in.
Hand Circumference: Fingertips Even	< 20 years 21-30 years > 31 years	(N=73) (N=109) (N=29)	8.83 in. 8.89 in. 9.12 in.	0.45 iñ. 0.46 in. 0.40 in.
Wrist Circumference	< 20 years	(N=73)	5.85 in.	0.26 in.
	21-30 years	(N=109)	5.89 in.	0.28 in.
	> 31 years	(N=29)	6.07 in.	0.27 in.
Hand Thickness; Metacarpale III	< 20 years 21-30 years > 31 years	(N=73) (N=109) (N=29)	1.09 in. 1.08 in. 1.12 in.	0.07 in. 0.07 in. 0.08 in.
Hand Depth; Thenar Pad	< 20 years	(N=73)	2.01 in.	0.15 in.
	21-30 years	(N=109)	2.03 in.	0.16 in.
	> 31 years	(N=29)	2,10 in.	0.12 in.
Digit 1 Circumference; Interphalangeal Joint	< 20 years 21-30 years > 31 years	(N=73) (N=109) (N=29)	2.17 in. 2.21 in. 2.31 in.	0.11 in. 0.13 in. 0.14 in.
Digit 2 Circumference;	< 20 years	(N=73)	1.72 in.	0.08 in.
Distal Interphalangeal	21-30 years	(N=109)	1.75 in.	0.10 in.
Joint	> 31 years	(N=29)	2.85 in.	0.11 in.
Digit 2 Circumference;	< 20 years	(N=73)	2.10 in.	0.09 in.
Proximal Interphalangeal	21-30 years	(N=109)	2.12 in.	0.12 in.
Joint	> 31 years	(N=29)	2.22 in.	0.11 in.

Dimension	Aye G	roup	Mean	S.D.
Digit 3 Circumference;	< 20 years	(N=73)	1.74 in.	0.09 in.
Distal Interphalangeal	21-30 years	(N=109)	1.74 in.	0.10 in.
Joint	> 31 years	(N=29)	1.84 in.	0.11 in.
Digit 3 Circumference;	< 20 years	(N=73)	2.13 in.	0.08 in.
Proximal Interphalangeal	21-30 years	(N=109)	2.17 in.	0.11 in.
Joint	> 31 yêars	(N=29)	2.25 in.	0.12 in.
Digit 4 Circumference;	< 20 years	(N=73)	1.64 in.	0.09 in.
Distal Interphalangeal	21-30 years	(N=109)	1.66 in.	0.09 in.
Joint	> 31 years	(N=29)	1.74 in,	0.10 in.
Digit 4 Circumference;	< 20 years	(N=73)	1.99 in.	0.09 in.
Pröximal Interphalangeal	21-30 years	(N=109)	2.01 in.	0.11 in.
Joint	> 31 years	(N=29)	2.07 in.	0.12 in.
Digit 5 Circumference;	< 20 years	(N=73)	1.50 in.	0.08 in.
Distal Interphalangeal	21-30 years	(N=109)	1.51 in.	0.08 in.
Joint	> 31 years	(N=29)	1.61 in.	0.11 in.
Wrist Breadth	< 20 years	(N=73)	2.28 in.	0.12 in.
	21-30 years	(N=109)	2.29 in.	0.12 in.
	> 31 years	(N=29)	2.36 in.	0.14 in.
Digit 1 Height;	< 20 years	(N=73)	3.34 in.	0.31 in.
Perpendicular to	21-30 years	(N=109)	3.43 in.	0.34 in.
Wrist Crease	> 31 years	(N=29)	3.46 in.	0.32 in.
Digit 2 Height;	< 20 years 21-30 years > 31 years	(N=73)	6.38 in.	0.32 in.
Perpendicular to		(N=109)	6.49 in.	0.37 in.
Wrist Crease		(N=29)	6.60 in.	0.35 in.
Digit 3 Height;	< 20 years	(N=73)	6.86 in.	0.32 in.
Perpendicular to	21-30 years	(N=109)	6.95 in.	0.35 in.
Wrist Crease	> 31 years	(N=29)	7.12 in.	0.31 in.
Digit 4 Height;	< 20 years	(N=73)	6.36 in.	0.34 in.
Perpendicular to	21-30 years	(N=109)	6.45 in.	0.34 in.
Wrist Crease	> 31 years	(N=29)	6.62 in.	0.33 in.
Digit 5 Height;	< 20 years	(N=73)	5.05 in.	0.33 in.
Perpendicular to	21-30 years	(N=109)	5.11-in.	0.35 in.
Wrist Crease	> 31 years	(N=29)	5.32 in.	0.33 in.
Crotch 1 Height	< 20 yéars	(N=73)	2.18 in.	0.18 in.
	21-30 years	(N=109)	2.27 in.	0.23 in.
	> 31 years	(N=29)	2.36 in.	0.21 in.
Crotch 2 Height	20 years21-30 years31 years	(N=73) (N=109) (N=29)	3.31 in. 3.90 in. 3.99 in.	0.21 in. 0.24 i n. 0.23 in.

Dimension	Age Group	Mean	S.D.
a i i a militali	< 20 years (N=73)	3.80 in.	0.21 in.
Crotch 3 Height	21-30 years (N = 109)	3:87 in.	0.24 in.
	> 31 years (N=29)	3.99 in.	0.21 in.
. **	< 20 years (N=73)	3.38 in.	0.22 in.
4 Height	21-30 years (N=109)	3.44 in.	0.24 in.
	> 31 years (N=29)	3.56 in.	0.21 in.
	\leq 20 years $(N=73)$	2.40 in.	0.18 in.
Digit 1 Length;	21-30 years (N=109)	2.12 in.	0.17 in.
Fingertip to Crotch Level	> 31 years (N=29)	2.14 in.	0.15 in.
	< 20 years (N = 73)	2.70 in.	0.19 in.
Digit 2 Length;	21-30 years (N=109)	2.71 in.	0.22 in.
Fingertip to Crotch Level	\geqslant 31 years (N=29)	2.75 in.	0.20 in.
	\leq 20 years (N=73)	3.05 in.	0.20 in.
Digit 3 Length;	7 - 7 7 1 1 1	3.07 in.	0.20 in.
Fingertip to Crotch Level	21-30 years (N=109) > 31 years $(N=29)$	3.13 in.,	0.17 in.
	\leq 20 years (N=73)	2.87 in.	0.20 in.
Digit 4 Length;		2.88 in.	0.20 in.
Fingertip to Crotch Level	21-30 years (N=109) > 31 years $(N=29)$	2:89 in.	0.21 in.
	$\leq 20 \text{ years} (N=72)$	2.13 in.	0.15 in.
Digit 5 Length;		2.15 in.	0.18 in.
Fingertip to Crotch Level	21-30 years $(N=109)> 31 years (N=29)$	2.19 in.	0.19 in.
	\leq 20 years (N=73)	4.26 in.	0.35 in.
Digit 1 Length;		4.38 in.	0.41?in.
Total, Tip to Wrist Crease	21-30 years (N=109) > 31 years $(N=29)$	4,47 in.	0.40 in.
	\leq 20 years (N=73)	6.47 in.	0.31 in.
Digit 2 Length;		6.59 in.	0.36 in.
Total, Tip to Wrist Crease	21-30 years $(N=109)$ > 31 years $(N=29)$	6.71 in.	0.35 in.
D. 1107 12	\leq 20 years (N=73)	6.88 in.	0.32 in.
Digit 3 Length;	21-30 years (N=109)	6.96 in.	0.35 in.
Total, Tip to	> 31 years (N=29)	7.12 in.	0.31 in.
Wrist Crease	> 31 years (II = 20)	,,	
Digit 4 Longth	\leq 20 years (N=73)	6.51 in.	0.34 in.
Digit 4 Length;	21-30 years (N=109)	6.62 in.	0.35 in.
Total, Tip to Wrist Crease	> 31 years (N=29)	6.76 in.	0.33 in.
Willst Olease	Am American American		
Digit 5 Length;	\leq 20 years (N=73)	5.68 in.	0.31 in.
Total, Tip to	21.30 years (N=109)	5.76 in.	0.37 in.
Wrist Crease	> 31 years (N=29)	5.97 in.	0.39 in.

SECTION VI

CORRELATION MATRIX FOR ALL VARIABLES

1	HAND LENGTH HAND BREADTH, META HAND CIRC, METACARP		.569	• 564	•401	•574	.610	•543	.269	•351	•408
2	HAND BREADTH, META	•569		894	.710	.759	.771	.728	•427	•454	•535
3	HAND CIRC, METACARP	•564	.894		.747	.735	•777	.740	.471	•447	•547
4	HAND CIRC, META, MIN	•401	•710	• 747		• 665	•663	•578	.374	•448	363 ئ
5	HAND CIRC, TIPS EVN	.574	• 759	*735	•665		.776	.613	c+47	.474	0474
6	FIST CIRCUMFERENCE	•610	•771	• 777	•663	•776		.662	• 455	.518	•549
7	WRIST CIRCUMF-ENCE	•543	•728	• 740	•578	.613	•662		• 398	•482	•521
	HAND THICK AT META					•447					• 397
9	HND DPTH, THENR PAD	• 351	• 454	• 447	• 440	•474	.518	.482	.337		.413
10	DIG 1 JOINT BRDTH	•408	•535	• 547	• 365	•474	• 549	.521	•397	•413	
	DIGIT 1 JOINT DPTH										
12	DIGIT 1 JOINT CIRC	• 430	• 608	•614	•440	•526	•590	•579	• 442	•443	•906
	DIG 2 DST JNT BDTH										
	DIG 2 DST JNT DPTH										
	DIG 2 DST JNT CIRC										
	DIG 2 PR JNT BRDTH										
	DIG 2 PR JNT DPTH										
	DIG 2 PR JNT CIRC										
	DIG 3 DST JNT BDTH										
20	DIG 3 DST JNT DPTH	.316	• 553	•534	•424	•496	•501	•490	• 448	.329	• 453
	DIG 3 DST JNT CIRC										
	DIG 3 PR JNT BRDTH				-						
	DIG 3 PR JNT DPTH										
	DIG 3 PR JNT CIRC									• 451	
	DIG 4 DST JNT BDTH										
	DIG 4 OST JNT DPTH										
27	DIG 4 DST JNT CIRC										
28	DIG 4 PR JNT BRDTH										
29											
30	DIG 4 PR JNT CIRC	• 394	• 559	• 553	•515	•533	•551	•525	•461	•433	•564

31	DIG 5 DST JNT BDTH	284 ،	•478	• 489	.321	•498	•550	•456	• 447	.340	•575
3 2	DIG 5 DST JNT DPTH	 340	• 489	•536	•356	•439	•491	•460	•381	•368	•546
33	DIG 5 DST JNT CIRC	•330	• 540	•571	£378	•470	•584	•514	.474	.381	•628
34	DIG 5 PR JNT SROTH	•362	•512	•538	•420	•460	500ء	•489	• 460	•338	•579
	DIG 5 PR JNT DPTH										
36	DIG 5 PR JNJ CIRC	۰ 4 48	, 538	• 575	•461	•512	n570	•536	•462	.398	•654
37	WRIST BREADTH	• 369	•582	•619	•447	•553	•554	•755	•400	•356	• 442
38	DIGIT 1 'T PERP WC	• 604	•278	•270	•242	• 309	•301	•241	-033	•206	•215
	DIGIT 2 PT PERP WC										
40	DIGIT 3 (1) PERP WC	. 950	• 564	•555	•408	J574	.610	•511	• 266	.347	•441
										a	
41	DIGIT 4 HT PERP WC	.897	551 ،	• 543	.372	•538	•608	•504	.250	.342	• 469
42	DIGIT 5 HT PERP WC	• 782	.474	•498	.319	•449	•569	• 453	.235	• 490	•429
	CROTCH 1 HEIGHT										
44	CŖŎŤCH 2 HEIGHT	•754	· 402	•398	•323	•416	•420	•334	•07∠	.229	.331
45	CROTCH 3 HEIGHT	•748	393 ن	•401	•308	•414	•449	3 45	. 096	.238	• 351
46	CROTCH 4 HEIGHT	•734	• 397	.419	~299	•400	457 ه	• 365	"169	. 252	•400
	DIGIT 1 TIP-CROTCH										
	DIGIT 2 TIP-CROTCH										
	DIGIT 2 TIP-CROTCH										
50	DIGIT 4 TIP-CROTCH	• 599	• 446	•414	• 300	• 436;	• 480	4 408	• 218	,260	.316
	_										
51	DIGIT 5 TIP-CROTCH	•613	• 421	•438	•312	• 441	•496	•389	· 205	.280	• 283
	DIGIT 1 TIP-WRIST									£263	
	DIGIT 2 TIP-WRIST									. 35.3	
	DIGIT & TIP-WRIST									.350	
	DIGIT 4 TIP-WRIST									• 344	
56	DIG 1 JOINT BROTH	• 800	•518	• 540	•393	•528	•592	.472	.223	.330	• 446

1 2 3 4 5 6 7 8 9 10

1.2

13

14

15

16

17

18

19

20

11

1 HAND LENGTH -373 -430 -352 -251 -349 -427 -374 -445 -311 -316 2 HAND BREADTH, META .549 .608 .591 .478 .613 .616 .495 .614 .558 .553 3 HAND CIRC, METACARP .548 .614 .558 .447 .577 .617 .502 .688 .538 .534 4 HAND CIRC, META, MIN .433 .440 .390 .372 .433 .491 .449 .522 .425 .424 5 HAND CIRC, TIPS EVN .474 .526 .422 .472 .499 .535 .505 .572 .465 .496 6 FIST CIRCUMFERENCE .509 .590 .530 .472 .568 .594 .598 .663 .400 .501 7 WRIST CIRCUMF-ENCE .510 .579 .490 .483 .548 .577 .508 .600 .480 .490 8 HAND THICK AT META .387 .442 .449 .407 .484 .425 .443 .476 .460 .448 9 HND DPTH. THENR PAD .367 .443 .345 .303 .368 .428 .420 .479 .350 .329 10 DIG 1 JOINT BRDTH .608 .906 .600 .496 .617 .629 .469 .623 .612 .453 11 DIGIT 1 JOINT DPTH .879 12 DIGIT 1 JOINT CIRC .879 .879 .524 .602 .630 .584 .553 .649 .564 .579 .631 .612 .696 .677 .565 .708 .666 .572 13 DIG 2 DST JNT BDTH .524 .621 .552 .913 .686 .480 .644 .727 .553 14 DIG 2 DST JNT DPTH .602 .612 .552 .833 .573 .589 .636 .560 .749 15 DIG 2 DST JNT CIRC .630 .696 .913 .833 •710 •591 •716 •733 •711 •547 •882 •663 •550 16 DIG 2 PR JNT BRDTH .584 .677 .686 .573 .710 17 DIG 2 PR JNT DPTH .553 .565 .480 .589 .591 .547 £849 .497 .545 18 DIG 2 PR JNT CIRC .649 .708 .644 .636 .716 .862 .849 .650
19 DIG 3 DST JNT BDTH .564 .666 .727 .560 .733 .663 .497 .650
20 DIG 3 DST JNT DPTH .579 .572 .553 .749 .711 .550 .545 .600 .601 .650 .600 •601 21 DIG 5 DST JNT CIRC .634 .694 .722 .704 .800 .681 .570 .697 .919 .857 22 DIG 3 PR JNT BRDTH .532 .589 .576 .530 .620 .687 .467 .634 .629 .569
23 DIG 3 PR JNT DPTH .551 .585 .502 .541 .582 .524 .762 .713 .545 .563
24 DIG 3 PR JNT CIRC .631 .681 .633 .622 .702 .700 .725 .789 .680 .652
25 DIG 4 DST JNT BDTH .480 .596 .685 .547 .702 .615 .498 .615 .731 .547 26 DIG 4 DST JNT DPTH .542 .599 .565 .645 .674 .602 .501 .611 .584 .690 27 JIG 4 DST JNT CIRC .566 .665 .708 .662 .772 .675 .549 .676 .751 .682 28 DIG 4 PR JNT 5RDTH .505 .601 .527 .494 .573 .658 .491 .634 .631 .510 29 DIG 4 PR JNT DPTH .510 .484 .369 .551 .498 .470 .609 .601 .451 .560

30 DIG 4 PR JNT CIRC .612 .652 .526 .624 .634 .670 .660 .738 .643 .633

31	DIG 5 DST JNT BOTH	• 48C	• 5.91	•563	÷456	•577	•522	-460	. 549	.637	.435
32	DIG 5 OST JNT DPTH	•557	.615	.521	.555	.603	-538	465	•562	-598	.659
33	DIG 5 DST JNT CIRC	•580	.676	•610	. 568	.664	.594	.525	· 524	.699	.596
	DIG 5 PR JNT BRDTH										
35	DIG 5 PR JNT DPTH	•550	•591	.419	•535	•528	•529	•516	~588	•493	.511
36	DIG 5 PR JMT CIRC	3587	•693	• 583	.602	•665	.591	.559	• 696	.641	.601
37	WRIST BREADTH	• 502	•526	.372	.488	464	.491	.492	.555	.440	.510
38	DIGIT 1 HT PERP WC	.221	· 240	.198	.106	.187	.254	.262	.295	:162	•097
39	DIGIT 2 HT PERP WC	• 362	• 428	• 366	.238	.357	. 449	.371	•462	4315	.229
40	DIGIT 3 HT PERP WC	• 406	•469	.378	.270	.377	• 458	.374	•462	.346	•306
41	DIGIT 4 HT PERP WC	• 425	• 498	•369	279	€373	• 444	.349	.441	.342	•307
42	DIGIT 5 HT PERP WC	.381	• 453	.334	. 252	.332	546 ه	.317	•392	.276	.266
43	CROTCH 1 HEIGHT	• 225	•278	• 26 lj	•079	.210	• 458	.204	. 470	•140·	.081
44	CROTCH 2 HÉIGHT CROTCH 3 HÉIGHT	•293	• 348	•257	.141	• 236	.359	.231	- 333	• 248	·136
45	CROTCH 3 HEIGHT	• 286	• 353	• 247	•151	•230	• 349	•183	• 292	•239	• 155
46	CROTCH 4 HEIGHT	• 296	• 391	•300	-180	.276	360	.196	• 303	.241	.194
47	DIGIT 1 TIP-CROTCH	• 297	•327	,213	.208	.244	.341	•354	•393	. 425	.227
48	DIGIT 2 JIP-CROTCH	• 322	•371	•355	.281	• 368	•380	.389	• 434	275ء	•306
49	DIGIT 3 TIP-CROTCH	•371	•401	•337	•286	• 359	•357	•390	•411	.304	• 349
50	DIGIT 4 TIP-CROTCH	•336	• 362	• 263	•254	•296	.291,	.317	• 343	-246	»289
5 Į	DIGIT 5 TIP-CROTCH	• 324	• 335	245	•230	. 265	• 282	.338	349	•172	• 229
52	DIGIT 1 TIP-WRIST	L264	• 289	• 249	•131	. 230	.298	•289	• 333	•206	•161
	DIGIT 2 TIP-WRIST	370	•435	384	•250	· 373	•460	.376	•471	.222	• 464
54	DIGIT 3 TIP-WRISE	• 408	• 465	.377	.271	.377	. 458	.376	•462	•347	.313
55	DIGIT 4 TIP-WRIST	•410	. 486	• 368	•279	.375	-45à	• 366	455ء	.346	. 297
56	DIG 3 DST JNT DP1:H	• 391	.464	ø355	.268	•356	.429	.354	•431	.310	• 261

11 12 13 14 15 16 17 18 19 20

		21	22	23	24	25	26	27	28	29	30
1	HAND LENGTH	. 251	367	. 204	. /. 2 1	. 225	215	355	ם כיב	218	304
	HAND BREADTH, META										
	HAND CIRC METACARP										
4	HAND CIRC, META, MIN	•460	509	421	-533	3401	.429	-447	441	392	•515
	HAND CIRC, TIPS EVN										
	FIST CIRCUMFERENCE										
	WRIST CIRCUMF-ENCE										
	HAND TRICK AT META										
	HND DPTH, THENR PAD										
	DIG 1 JOINT BRDTH										
11	DIGIT 1 JOINT DPTH	•534	•532	•551	.631	. 480	•542	•566	•505	•510	.612
	DIGIT 1 JOINT CIRC										
	DIG 2 DST JNT BOTH										
	DIG 2 DST JNT DPTH										
	DIG 2 DST JNT CIRC										
	DIG 2 PR JNT BRDTH										
1.7	DIG 2 PR JNT DPTH	•570	• 467	₹762	•725	•498	•50ľ	•549	•491	•609	•660
18	DIG 2 PR JNT CIRC	•697	• 634	•713	• 789	•615	.611	•676	.634	-601	.738
19	DIG 3 DST JNT BOTH	•919	• 629	• 545	•680	•731	•584	•751	631	•451	•643
20	DIG 3 DST JNT DPTH	•851	• 269	• 263	•652	• 547	•690	•682	•210	•260	•633
21	DIG 3 DST JNT CIRC		470	410	71.1	777	607	702	£ 1. E	850	700
22	DIG 3 PR JNT BROTH	479	•010	475	9/44	5/11/4 5/20	6091 520	500	724	• 35U	71.
22	DIG 3 PR SNI DRUIT	610	1.75	•415	042	5/0	#327 537	600 600	. 120	712	717
24	DEG 3 PR JNT DPTH DIG 3 PR JNT CIRC	744	. 9/5	944	•004	6240	• 52 T	6 D Z Z	> 7.10	6(12)	027
25	DIG 4 DST JNT BDTH	.712	. 530	. 54 g	e624	• 04.4	571	017	• 1:13 • 604	372	576
26	DIG 4 DST JNT DPTH	.697	. 520	. 527	-607	. 571	•01I	9711	- 550	. /. 95	607
27	DIG 4 DST JNT CIRC	.702	- 500	- 500	-607	.017	· Ř/10	•040	1000	. 460	•658
28	DIG 4 PR JNT BROTH	.645	. 736	- '80 - '80	-719	. 40%	550	. 652	u)	- 305	.823
29	DIG 4 PR JNT DPTH	- 550	- 440	712	-672	272	- 485	. 1260	. 205	4 J 7 J	- 837
	DIG 4 PR JNT CIRC										
-0	ore , in one office	- 107	4126	1	1052	+ > 1 0	+001	-0/5		. 0.51	

22

23

24

25

26

27

28

29

30

21

31 DIG 5 DST JNT BDTH .612 .463 .413 .500 .678 .541 .693 .449 .306 .449 32 DIG 5 DST JNT DPTH .693 .476 .511 .572 .520 .703 .668 .481 .436 .536 33 DIG 5 DST JNT CIRC .728 .522 .514 .597 .692 .684 .770 .524 .405 .548 34 DIG 5 PR JNT BROTH .619 .629 .425 .611 .593 .506 .630 .709 .383 .650 35 DIG 5 PR JNT DPTH .552 .463 .541 .576 .427 .514 .512 .411 .557 .589 36 DIG 5 PR JNT CIRC •6°4 •646 •565 •699 •604 •602 •677 •673 •541 •730 37 WRIST BREADTH .523 .461 .406 .499 .418 .497 .493 .418 .384 .480
38 DIGIT 1 HT PERP WC .150 .138 .294 .258 .140 .152 .161 .219 .207 .256
39 DIGIT 2 HT PERP WC .307 .304 .383 .396 .319 .291 .337 .325 .312 .386
40 DIGIT 3 HT PERP WC .368 .368 .409 .441 .364 .316 .379 .357 .339 .425 41 DIGIT 4 HT PERP WC .364 .352 .411 .432 .389 .336 .407 .344 .340 .416 42 DIGIT 5 HT PERP WC .295 .309 .366 .381 .336 .327 .365 .272 .299 .346 ·219 ·235 ·282 ·298 ·217 ·190 ·224 ·290 ·218 ·309 44 CROTCH 2 HEIGHT •222 •258 •259 •293 •228 •217 •247 •292 •238 •319 45 CROTCH 3 HEIGHT .240 .288 .282 .323 .274 .279 .312 .306 .237 .328 46 CROTCH 4 HEIGHT 47 DIGIT 1 TIP-CROTCH .254 .241 .338 .333 .255 .260 .272 .229 .283 .305 48 DIGIT 2 TIP-CROTCH .320 .284 .377 .383 .330 .328 .359 .246 .312 .336 49 DIGIT 3 TIP-CROTCH .366 .332 .385 .404 .356 .312 .374 .271 .311 .357 50 DIGIT 4 TIP-CROTCH •302 •238 •328 •326 • 006 •275 •327 •213 •276 •301 51 DIGIT 5 TIP-CROTCH •209 •195 •320 •290 •278 •283 •306 •159 •225 •241 52 DIGIT 1 TIP-WRIST •212 •197 •344 •314 •215 •188 •223 •225 •246 •283 •329 •322 •401 •415 •346 •303 •359 •328 •325 •397 •373 •368 •411 •442 •364 •320 •380 •359 •342 •428 •358 •337 •404 •422 •378 •341 •403 •349 •326 •412 53 DIGIT 2 TIP-WRIST 54 DIGIT 3 TIP-WRIST 55 DIGIT 4 TIP-WRIST 56 DIG 4 PR JNT CIRC .308 .308 .388 .395 .343 .348 .380 .300 .295 .362

32

33

31

.284 .340 .330 .362 .382 .448 .369 .604 .856 .950 1 HAND LENGTH 2 HAND BREADTH, META .478 .489 .540 .512 .390 .538 .582 .278 .529 .564 3 HAND CIRC, METACARP .489 .536 .571 .538 .433 .575 .619 .270 .518 .555 4 HAND CIRC, META, MIN .321 .356 .378 .420 .366 .461 .447 .242 .413 .408 5 HAND CIRC. TIPS EVN .408 .439 .470 .460 .411 .512 .503 .309 .504 .574 6 FIST CIRCUMFERENCE .550 .491 .584 .500 .459 .570 .554 .301 .559 .610 7 WRIST CIRCUMF-ENCE .456 .460 .514 .489 .405 .536 .755 .241 .459 .511 8 HAND THICK AT META .447 .381 .474 .460 .308 .462 .400 -033 .190 .266 9 HND DPTH, THENR PAD .320 .368 .331 .338 .342 .398 .356 .206 .345 .347 10 DIG 1 JOINT BRDTH .575 .546 .628 .579 .534 .654 .442 .215 .406 .441 11 DIGIT 1 JOINT DPTH .480 .557 .580 .446 .550 .587 .502 .221 .362 .406 12 DIGIT 1 JOINT CIRC •591 •615 •676 •585 •591 •693 •526 •240 •428 •469 13 DIG 2 DST JNT BDTH •563 •521 •610 •558 •419 •583 •372 •198 •366 •378 14 DIG 2 DST JNY DPTH .456 .555 .568 .500 .535 .602 .488 .106 .238 .270 15 DIG 2 DST JNT CIRC .577 .603 .664 .598 .528 .665 .464 .187 .357 .377 16 DIG 2 PR JNT BRDTH .522 .538 .594 .637 .529 .691 .491 .254 .449 .458 17 DIG 2 PR JNT DPTH .460 .465 .525 .441 .516 .559 .492 .262 .371 .374 •549 •562 •624 •594 •588: •696 •555 •295 •462 •462 18 DIG 2 PR JNT CIRC 19 DIG 3 DST JNT BDTH .637 .598 .699 .588 .493 .641 .448 .162 .315 .346 20 DIG 3 DST JNT DPTH .433 .659 .596 .510 .511 .601 .510 .097 .229 .306 21 DIG 3 DST JNT CIRC .612 .693 .728 .619 .552 .694 .523 .150 .307 .368 22 DIG 3 PR JNT BRDTH .463 .476 .522 .629 .463 .646 .461 .138 .304 .368 23 DIG 3 PR JNT DPTH .413 .511 .514 .425 .541 .565 .406 .294 .383 .409 24 DIG 3 PR JNT CIRC .500 .572 .597 .611 .576 .699 .499 .258 .396 .441 25 DIG 4 DST JNT BDTH .678 .520 .692 .593 .427 .604 .418 .140 .319 .364 26 DIG 4 DST JNT DPTH .541 .703 .684 .506 .514 .602 .497 .152 .291 .316 27 DIG 4 DST JNT CIRC .693 .668 .770 .630 .512 .677 .493 .161 .337 .379 28 DIG 4 PR JN BRDTH .449 .481 .524 .709 .411 .673 .418 .219 .325 .357 29 DIG 4 PR JN DPTH .306 .436 .405 .381 .557 .541 .384 .207 .312 .339 30 DIG 4 PR JNT CIRC .449 .536 .548 .650 .589 .730 .480 .256 .386 .425

35

34

36

37

38

39

40

	3 <u>j</u>	32	33	34	35	36	37	38	39	40
31 DIG 5 DST JNT BDTH 32 DIG 5 DST JNT DPTH 33 DIG 5 DST JNT CIRC	• 529	•529	۰909 ۰823	•508 •459	•390 •524	.530 .583	•409 •446	•101 •107	•257 •266	•299 •333
33 DIG 5 DST JNT CIRC	•909	•823	•	•554	•>10	.630	•479	» 104	.281	.338
34 DIG 5 PR JNT BRDTH 35 DIG 5 PR JNT DPTH	•508	• 459	•554		• 425	.852	•416	.183	.341	•370
35 DIG 5 PR JNT DPTH	•390	• 524	•.510	• 425		.825	•382	• 2 3 5	·• 324	•391
36 DIG 5 PR JNT CIRC	• 530	•583	•630	•852	825		•473	• 241	•399	• 460
37 WRIST BREADTH	• 409	• 446	• 479	•416	. 382	• 473		•004	.221	• 297
38 DIGIT 1 HT PERP WC	• 101	•107	•104	.183	215	. 241	•004		•793	.661
39 DIGIT 2 HT PERP WC	.257	• 266	·281	•341	• 324	•355	•221	•799		•922
40 DIGIT 3 HT PERP WC	ȣ99	• 333	•338	•370	.391	"46O	•297	•661	•922	
41 DIGIT 4 HT PERP WC										
42 DIGIT 5 HT PERP WC										
43 CROTCH 1 HEIGHT	•159	• 1.26	•148	٠237	• 225	•292	-078	»815	6717	• 640
44 CROTCH 2 HEIGHT	•196	*Z24	•216	•292	• 294	359	•096	•679	• 828	
45 CROTCH 3 HEIGHT	•206	<i>4</i> 237	• 231	€317	.303	•382	.122	•578	•75.7	.810
46 CROTCH 4 HEIGHT										
47 DIGIT 1 TIP-CROTCH										
48 DIGIT 2 TIP-CROTCH	• 231	250	<u>•</u> 265	"256	• 259	•307	•311	•522	•728	•691
49 DIGIT 3 TIP-CROTCH										
50 DIGIT 4 TIP-CROTCH	•223	· 229	• 246	,,217	• 251	.278	•274	• 425	.667	• 734
									_	
51 DIGIT 5 TIP-CROTCH										
52 DIGIT 1 TIP-WRIST									<i>₀</i> 753	
53 DIGIT 2 TIP-WRIST										
54 DIGIT 3 TIP-WRJST										
55 DIGIT 4 TIP-WRIST										
56 DIGIT 3 HT PERP WG	•320	• 340	•361	.328	•396	.431	.277	•584	.836	. 861

		41	42	43	44	45	46	47	48	49	50
,	LIAND I MACTU	207	700	540	267	740	70.		(77	740	400
	HAND BREADTH, META									.503	
	HAND CIRC, METACARP										
	HAND CIRC, META, MIN-										
	HAND CIRC, TIPS EVN										
	FIST CIRCUMFERENCE										
	WRIST CIRCUMF-ENCE										
	HAND THICK AT META										
	HND DPTH THENR PAD										
	DIG 1 JOINT BROTH										
	V										
	DIGIT 1 JOINT DPTH										
1'2	DIGIT 1 JOINT CIRC	• 498	• 453	• 278	.348	.353	.391	.327	.371	•401	•362
13	DIG 2 DST JNT BDTH	• 369	•334	·• 261	.257	• 247	•300	.213	• 355	.337	~263
	DIG 2 DST JNT DPTH										
	DIG 2 DST JNT CIRC										
	DIG 2 PR JNT BRDTH										
17	DIG 2 PR JNT DPTH	• 349	•317	•202	.231	•183	.196	•354	• 389	•390	•317
	DIG 2 PR JNT CIRC										
	DIG 3 DST JNT BDTH										
20	DIG 3 DST JNT DPTH	• 307	• 266	•081	•136	155	•194	.227	•.306	• 349	289
	010 0 000 0100										
	DIG 3 DST JNT CIRC										
	DIG 3 PR JNT BRDTH										
	DIG 3 PR JNT DPTH										
	DIG 3 PR JNT CIRC										
	DIG 4 DST JNT BDTH										
	DIG 4 DST JNT DPTH										
	DIG 4 DST JNT CIRC										
	DIG 4 PR JNT BROTH										
	DIG 4 PR JNT DPTH										
30	DIG 4 PR JNT CIRC	• 416	• 546	• 228	• 309	• 272	• 368	⊕305	. 336	• 32 1	• 201

41 42 43 44 45 46 47 48 49 50 31 DIG 5 DST JNT BDTH .315 .304 .159 .196 .206 .238 .216 .231 .272 .223 32 DIG 5 DST JNT DPTH .346 .319 .126 .224 .237 .285 .199 .250 .298 .229 33 DIG 5 DST JNT CIRC .355 .339 .148 .216 .231 .275 .222 .265 .314 .246 34 DIG 5 PR JNT BRDTH .379 .340 .237 .292 .317 .331 ,241 .256 .265 .217 35 DIG 5 PR JNT DPTH •395 •391 •225 •294 •303 •325 •270 •259 •329 •251 36 DIG 5 PR JNT CIRC •471 •446 •292 •359 •382 •405 •301 •307 •350 •278 37 WRIST BREADTH •316 •309 -078 •096 •122 •175 •296 •311 •372 •274 38 DIGIT 1 HT PERP WC .549 .391 .815 .679 .578 .466 .637 .522 .408 .426 39 DIGIT 2 HT PERP WC .839 .687 .717 .828 .757 .693 .698 .728 .660 .667 40 DIGIT 3 HT PERP WC .954 .817 .640 .817 .810 .788 .686 .691 .759 .734 41 DIGIT 4 HT PERP WC •904 •596 •777 •816 •834 •633 •651 •705 •744 42 DIGIT 5 HT PERP WC •904 •489 •664 •734 •797 •528 •570 •590 •596 .595 .489 43 CROTCH 1 HEIGHT •765 •691 •602 •379 •335 •253 •305 44 CROTCH 2 HEIGHT •777 •664 •765 •929 •835 •465 •281 •281 •355 45 CROTCH 3 HEIGHT ·816 ·734 ·691 ·929 **,886 .420 .269 .265 .326** 46 CROTCH 4 HEIGHT •834 •797 •602 •835 **•**886 .391 .304 .347 .348 47 DIGIT 1 TIP-CROTCH .633 .528 .379 .465 .420 .591 .727 .674 .637 48 DIGIT 2 TIP-CROTCH .651 .570 .335 .281 .269 .302 .727 .872 .816 49 DIGIT 3 TIP-CROTCH .705 .590 .253 .281 .266 .347 .674 .872 .878 50 DIGIT 4 TIP-CROTCH .744 .596 .305 .355 .326 .348 .637 .816 .878 51 DIGIT 5 TIP-CROTCH .640 .650 .272 .343 .311 .286 .507 .729 .730 .786 52 DIGIT 1 TIP-WRIST .680 ,605 .793 .667 .622 .577 .720 .582 .480 .489 .892 .763 .709 .822 .770 .730 .737 .755 .692 .701 53 DIGIT 2 TIP-WRIST 54 DIGIT 3 TIP-WRIST •953 •815 •634 •813 •806 •786 •689 •690 •763 •736 55 DIGIT 4 TIP-WRIST .964 .813 .638 .817 .820 .811 .624 .651 .695 .738 601 601 Fig. 059. 189. 189. 171 -769 -783 -529 -591

51 52 53 54 55 56

```
1 HAND LENGTH .613 .681 .889 .951 .896 .800
2 HAND BREADTH, META .421 .324 .541 .565 .551 .518
 3 HAND CIRC, METACARP .438 .310 .525 .555 .541 .540 4 HAND CIRC, META, MIN .312 .237 .408 .408 .392 .393
 5 HAND CIRCATIPS EVN .441 .306 .550 .580 .565 .528
6 FIST CIRCUMFERENCE .496 .371 .581 .614 .599 .592
7 WRIST CIRCUMF-ENCE .389 .291 .462 .509 .490 .472
8 HAND THICK AT META .205 .031 .213 .271 .229 .223
 9 HND DPTH, THENR PAD ,280 .263 .353 .350 .344 .330
10 DIG 1 JOINT BRDTH .283 .255 .410 .436 .465 .446
11 DIGIT 1 JOINT DPTH .324 .264 .370 .408 .410 .391
12 DIGIT 1 JOINT CIRC .335 .289 .435 .466 .486 .464
13 DIG 2 DST JNT BDTH .245 .249 .384 .377 .368 .355
14 DIG 2 DST JNT DPTH .230 .131 .250 .271 .279 .268
15 DIG 2 DST JNT CIRC .265 .230 .373 .377 .373 .356
15 DIG 2 PR JNT BROTH .282 .298 .460 .458 .453 .429
18 DIG 2 PR JNT CIRC .349 .333 .471 .462 .455 .431 19 DIG 3 DST JNT BDTH .172 .206 .322 .347 .346 .310
20 DIG 3 DST JNT DPTH .229 .161 .262 .313 .297 .261
21 DIG 3 DST JNT CIRC .209 .212 .329 .373 .358 .308
22 DIG 3 PR JNT BRDTH .195 .197 .322 .368 .337 .308
24 DIG 3 PR JNT CIRC
                     .290 .314 .415 .442 .422 .395
25 DIG 4 DST JNT BDTH .275 .215 .346 .364 .378 .343
26 DIG 4 DST JNT DPTH .283 .188 .303 .320 .341 .348
27 DIG 4 DST JNT CIRC .306 .223 .359 .380 .403 .380
28 DIG 4 PR JNT BRDTH +159 +225 +328 +359 +349 +300
29 DIG 4 PR JNT DPTH .225 .246 .325 .342 .326 .236
30 DIG 4 PR JNT CIRC
                     •241 •283 •397 •428 •412 •362
```

52

53

.686 .616 .850 .858 .901

54

55

56

51

31 DIG 5 DST JNT BDTH .224 .139 .271 .307 .315 .320 32 DIG 5 DST JNT DPTH .233 .142 .277 .338 .345 .340 33 DIG 5 DST JNT CIRC .253 .141 .292 .346 .355 .361 34 DIG 5 PR JNT BRDTH •189 •220 •347 •371 •372 •328 ·294 ·280 ·339 ·390 ·382 ·396 35 DIG 5 PR JNT DPTH •280 •311 •413 •460 •454 •431 36 DIG 5 PR JNT CIRC 37 WRIST PREADTH ·286 ·073 ·229 ·299 ·279 ·277 38 DIGIT 1 HT PERP WC .393 .880 .760 .655 .639 .584 39 DIGIT 2 HT PERP WC .621 .753 .979 .918 .902 .836 40 DIGIT 3 HT PERP WC .638 .716 .944 .998 .961 .861 41 DIGIT 4 HT PERP WC .640 .680 .892 .953 .964 .870 42 DIGIT 5 HT PERP WC .650 .605 .763 .815 .813 .862 43 CROTCH 1 HEIGHT ·272 ·793 ·709 ·634 ·638 ·598 44 CROTCH 2 HEIGHT ·343 ·667 ·822 ·813 ·817 ·771 45 CROTCH 3 HEIGHT •311 •622 •770 •806 •820 •769 46 CROTCH 4 HEIGHT .286 .577 .730 .786 .811 .783 47 DIGIT 1 TIP-CROTCH •507 •720 •737 •689 •624 •529 48 DIGIT 2 TIP-CROTCH •729 •582 •755 •690 •651 •591 49 DIGIT 3 TIP-CROTCH .730 .480 .692 .763 .695 .590 50 DIGIT 4 TIP-CROTCH •786 •489 •701 •736 •738 •601 51 DIGIT 5 TIP-CROTCH ·413 ·637 ·636 ·641 ·686 .413 52 DIGIT 1 TIP-WRIST •792 •712 •671 •616 53 DIGIT 2 TIP-WRIST .637 .792 ·942 ·920. ·850 54 DIGIT 3 TIP-WRIST .636 .712 .942 .961 .858 55 DIGIT 4 TIP-WRIST .641 .671 .920 .961 .901

56 DIGIT 5 TIP-WRIST

SECTION VII

BIVARIATÉ FREQUENCY TABLES

	Page
Hand Length and Stature	71
Hand Length and Hand Breadth; Metacarpale	72
Hand Length and Hand Circumference; Metacarpale	73
Hand Length and Crotch 3 Height	74
Hand Circumference; Metacarpale and Hand Circumference; Fingertips Even	75

STATURE

Total	0.4	0.1	0.5	0.0	3.5	3.3	4.8	S	10.9	11.0	10.8	6.6	9.0	7.5	8.7	5.4	4.2	2.3	1.0	0,01	100.0
70.5											0.5										0.5
70.07						0 تئ															0.5
69.5									1.0												1:0
69.0	0.4	0.1							0.5												1.0
68.5 68.5			J.0			0.5		0.5													1.5
						£.	o.3	0.3			0.5										2.3 1.
68.0 67.5						0.5			1.5	1.3		0.4	5.5								
67.0 6					0.5		0.3	1.0	1.0				_								0 6.1
66.5					7:51		o.5	0.3		8.0	1.0										8 3.0
56.0 E					0.5		1.0	•		0.9		1.0	O.55	0.2							4.8
65.5 65.5						0.3	0.2			1.3		0.6	0.8	0.6.0							6.4
65.0° 65					0.5	Ü	0.5	0.4		0.8	0.6	0.8	0.2 0	0							6.1
64.5					Ų		Û	0.9					1.6	9.	0.4	9.0					4.8
						πċ	0.5	1.0.0	_		0.5 0			1.1		0.3					9.4
5 64.0						0	0	0.3 1	7.2	0.7.0		0.5	0	0.5	0		0.2	တ္			6.2
0 63.5								0.5	٣	0.9	0.2. 0	Ö	0		0	0.5 0.		Ö			Ğ.
5 68.0								Ö				4	7 1.0	8 0.5	3 1.0		2 1.0	တ			5.5
62.5					10		10		10	3 1.3		9 0.4		ij	1.3	o		5.0.3			7.9
62.0					0.5		0.5		5. 0.5	0.3		3 0.9	1.0	•		~	1.0	0.5			5.3
61.5									0.5		0.4	1.	_		1.1	m	•	••			າວ ໝໍ
61.0														0.2		_	0.2	3.0			4.9 4.3
60.5												O O	0.5	7.5			_		0.5		
60.0											0.4		0.5			0.4	0.0			••	23
59.5												0.5	0.5		1.0	0.5		0.5	0.5		3.7
59.0											0.1	0.4					0.5			0.2	1.2
	7.99	7.89	7.79	7.69	7.59	7.49	7.39	7.29	7.19	60'L	66.9	6.83	6.79	6.69	6.59	6.49	6.39	6.29	6.19	6.09	

0

Bivariate Frequency Table for Hand Length and Stature

r=.700 (for grouped data)

JUZOFI

Idzo

	2.74	2.84	2.94	3.04	3.14	5.24	3.34	3.44	Total
7.99						6.4			
7 00						0.1			0
60.1								0.5	0
7.79									
7.69							(
7.59			0.2	0.3	0.0	1.0	6.0		
7.49			0.7	0.5	1.0	2.0	0.5	0.0 0.0	
7.39		0.0	0.0	0.3	1.7	1.5	2.0	6.2	
66.7			7.0	1.2	8 8 8	1.0	7.0		
7.19		0.1	3.0	2.2	3.4	2.1	0.2		#
7.09		0.0	3.5	3.2	3.8	0.2			-
6.99	0.2	1.0	2.0	2.2	4.9	6.0			, ,
6.89	0.0	0.4	3.0	2.2	2.6	0.7			
6.79	1.3	0.8	3.2	2.1	1.4	0.2			
6.69	0.5	1.5	2.3	1.6	1.2	0.5			
6.59	1.4	1.1	3.9	1.0	6.0				
6.49		0.7	1.9	1.5	8.0	0.2			
6.39	1.1	1:2	6.5	1.2					
6,29	0.5	0.0	7.0	6.0					
6.10	0.2	0.3	0.5						
6.09		0.5				ı		;	1
	6.0	0.6	25.9	20.4	24.9	9.6	3.0	1.1	Ę

Bivariate Frequency Table for Hand Length and Hand Breadth; Meta.

r=.561 (for grouped data)

(All frequency values are expressed as percentages. Dimensions are in inches)

Total	0.4	0.1	0.4	0.0	3.3	3.9	4.9	5.52	11.1	11.6	11.1	9.8	9.1	7.6	8.4	5.2	4.1	2.2	0.9
8.30			0.4		0.5														
8.20						0.5													
8.10																			
8.60					0.5	7.0	1.5	0.2	₹.0	0.3	0.5								
7:90					0.5	0.1	9.0	9.0	8.0	3.0	0.5								
7.80	0.4	0.1			0.4	0.5	0.5	9.0	1.1					0.3					
7.70					0.1		0.5	1.4	8.0	Ć. TŮ	0.5	1.5	0.5	0.3		0.2			
7.60					6.0	6.0		0.3	1.8	0.8	9.0	1.3		0.4	0.1	0.8			
7.50							0.1	٥.4	1.3	2.2	1.1	1.4	1.2	0.4	0.7	0.4			
7.40					0.5	0.3	1.0	8.0	1.3	2.0	2.1	1.0	1.8	0.4	0.5	9.0	0.7	0.7	
7.30							0.2	1. 8.	1.6	1.7	1.9	0.4	1.7	1.6	0.5	1.0	1.0	0.1	
7.20						0.4			1.2	1.8	1.8	0.9	0.1	1.4	1.4	1.4	0.8	8.0	
7.10						0.1			9.0	0.5	0.2	0.0	0.5	1.0	1.7	0.9	0.1	0.1	
7.06						ŏ ro			9.1	1.6	0.8	9.0	1.1	8.0	1.5		0.4	0.0	0.5
6.90							0.5				1.0	9.0	1.2	6'0	1.0		0.5	0.5	0.5
6.30											0.1	9.0	1.0	0.3	0.5				
6.70																	0.3		
09.9												0.5			0.5		0.2		
	7.99	7.89	7.79	7.69	7.59	7.49	7.39	7.29	7.19	7.09	6.99	6.83	6.79	69.9	6.59	6.49	6.39	6.29	6.19
					4 -		_								. -				
		34 100			2	Z)			H		Z	C) !	enior !	J		

Eivariate Frequency Table for Hand Length and Hand Circumference; Metacarpale

r=.558 (for grouped data)

(All frequency values are expressed as percentages. Dimensions are in inches)

0.5

6.0

0.5

0.0

3.9

3.4

3.8

6.2

8.0

6.7 12.1 13.0 13.7 9.3

7.8

2.4

0.3

1.2

6.09

0.5

CROTCH 3 HEIGHT

0.1	3,29	3.39	3.49	3.59	3.69	3.79	3.89	3.99	4.09	4:19	4.29	4.39	4.49	4.59	4.69	4.79	Total
0.1												0.4					0.4
0.2 0.5 0.2 0.9 0.1 1.4 0.4 1.1 0.4 1.2 0.4 1.1 0.4 1.2 0.4 1.1 0.4 1.1 0.4 1.1 0.4 1.1 0.4 1.1 0.2 0.5 0.5 0.2 0.9 0.1 1.4 0.4 1.1 0.4 1.1 0.5 0.4 0.4 1.1 0.5 0.4 0.4 1.1 0.5 0.4 0.4 1.1 0.5 0.4 0.4 0.4 1.1 0.5 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4												0.1					0.1
0.2 0.2 0.2 0.4 1.1 0.4 1.1 0.4 0.4 1.1 0.4 0.4 1.1 0.4 0.1 1.4 0.4 1.1 0.4 1.1 0.4 1.1 0.4 1.1 0.4 1.1 0.4 1.1 0.4 1.1 0.4 0.4 1.1 0.7 0.7 0.4 0.1 0.7 0.7 0.7 0.7 0.4 0.2 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 <th></th> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.5</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.5</td>										0.5							0.5
1.2 0.2 0.5 0.1 1.4 0.4 1.1 0.4 0.4 1.1 0.4 0.4 1.1 0.4 0.4 1.1 0.4 0.1 1.2 0.4 0.1 1.1 0.4 0.1 0.4 0.1 0.4 0.1 0.4 0.1 0.4 0.1 0.7 0.4 0.4 0.1 0.7 0.4 0.4 0.4 0.7 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.2 0.3 0.4 0.2 0.3 0.4 0.2 0.3 0.3 0.4 0.4 0.2 0.3 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 <th></th> <td></td> <td>0.0</td>																	0.0
1.1 0.2 0.5 1.2 0.4 0.1 0.4 0.1 0.4 0.1 0.4 0.1 0.4 0.1 0.4 0.1 0.4 0.1 0.4 0.1 0.4 0.2 0.4 0.4 0.2 0.2 0.4 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 <th></th> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.3</td> <td>0.2</td> <td>6.0</td> <td>0.1</td> <td>1.4</td> <td>0.4</td> <td></td> <td></td> <td></td> <td></td> <td>3.3</td>							0.3	0.2	6.0	0.1	1.4	0.4					3.3
0.5 0.4 2.3 1.2 0.4 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.7 0.2 0.2 0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.4 0.2 0.2 0.2 0.2 0.2 0.2 0.1 0.2 0.1 0.2 0.1 0.2 0.1 0.2 0.1 0.2 0.1 0.2 0.1 0.2 0.1 0.2 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 <th></th> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.2</td> <td>0.5</td> <td>1.2</td> <td>0.4</td> <td>0.4</td> <td>1.1</td> <td></td> <td></td> <td></td> <td></td> <td>3.9</td>							0.2	0.5	1.2	0.4	0.4	1.1					3.9
1.1 2.8 1.0 0.7 0.2 0.3 1.2 3.6 4.1 1.9 0.7 0.1 0.2 0.3 0.2 1.8 5.6 1.3 1.4 0.5 0.4 0.2 0.3 0.2 0.7 4.0 3.1 2.2 1.0 0.2 0.1 0.2 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3							0.5	0.4	2.3	1.2					0.4		4.9
0.2 1.8 5.6 1.3 1.4 0.5 0.4 0.2 0.3 0.2 1.8 5.6 1.3 1.4 0.5 0.4 0.2 0.3 0.2 1.8 5.6 1.3 1.4 0.5 0.4 0.2 0.3 0.2 0.5 1.8 1.2 0.5 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1							Ä	2.8	1.0	0.7							5.5
0.2 1.8 5.6 1.3 1.4 0.5 0.4 0.2 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 0.3 <th></th> <td></td> <td></td> <td></td> <td></td> <td>0.7</td> <td>3.6</td> <td>4.1</td> <td>1.9</td> <td>0.7</td> <td>0.1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>11.1</td>						0.7	3.6	4.1	1.9	0.7	0.1						11.1
0.7 4.0 3.1 2.2 1.0 0.2 0.2 1.2 5.2 1.0 0.2 0.1 0.2 0.5 1.2 0.2 0.1 0.2 0.1 0.7 0.9 0.9 2.7 1.8 0.6 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0					0.2	1.8	5.6	1.3	1.4	0.5	0.4				0.3		11.6
0.2 0.5 1.2 5.2 1.8 1.2 0.2 0.1 0.7 0.9 3.2 2.5 1.6 0.5 0.8 3.8 3.8 3.9 2.9 1.0 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0					0.7	4.0	3.1	2.2	1.0	0.2							11.1
0.2 0.5 3.2 2.5 1.6 0.5 0.8					1.2	5,2	1.8	1.2	0.2	0.1							9.8
0.7 0.9 0.9 2.7 1.8 0.6 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.1 .			0.2	0.5	3.2	2.5	1.6	0.5	8.0								9.1
1.2 8.0 2.9 1.0 0.1 0.1 0.1 1.2 1.8 0.9 0.4 0.2 0.1 1.7 1.2 0.5 1.0 0.5 0.5 0.5 .			0.7	6.0	6.0	2.7	1.8	9.0									3. 6
1.2 1.8 0.9 0.4 0.2 0.1 1.7 1.2 0.5 1.0 0.5 6.4 7.9 50.5 18.4 19.6 18.8 11.1 4.5 2.8 1.9 0.0 0.2 0.7 0.0			1.2	3.0	2.9	1.0		0.1	0.1	0.1							8.4
1.7 1.2 0.5 1.0 0.5 0.5 6.4 7.9 10.5 18.4 19.6 18.8 11.1 4.5 2.8 1.9 0.0 0.2 0.7 0.0			1.2	1.8	6.0	0.4			0.2	0.1							5.2
1.0 0.5 0.5 0.5 6.4 7.9 £0.5 18.4 19.6 18.8 11.1 4.5 2.8 1.9 0.0 0.2 0.7 0.0		9.6	1.7	1.2	0.5												4.1
0.5 0.5 6.4 7.9 £0.5 18.4 19.6 18.8 11.1 4.5 2.3 1.9 0.0 0.2 0.7 0.0		1.1	1.0														2.2
0.5 6.4 7.9 £0.5 18.4 19.6 18.8 11.1 4.5 2.8 1.9 0.0 0.2 0.7 0.0	"	7.4	0.5														6.0
6.4 7.9 10.5 18.4 19.6 13.8 11.1 4.5 2.3 1.9 0.0 0.2 0.7 0.0				0.5													0.5
	W	27	6.4					13.8		£. 70.					2.0	0.0	100.0

Bivariate Frequency Table for Hand Length and Crotch 3 Height

r=.752 (for grouped data)

(All frequency values are expressed as percentages. Dimensions are in inches)

HAND CIRC; META.

Total	0.6	2.0	7.7	1.6	32	2.6	3.6	2.7	6.2	7.4	8.2	9.7	9.3	9.5	 	8.0	5.9	3.9	හ හ	2.0	1.5	1.8	0.0	0.3	0.8	100.0
8.30		1	0.5		0.4																					6.0
8.20		1	0.2																							0.0
8.10																										0.0
8.00	9.0		9.4			0.7	1.0			0.3	0.3															3.9
7.90		•	0.2		1.0	0.7				0.2	0.5	9.0														3.4
7.80				0.8	1.2	0.3	8.0	0.5						0.3												3.8
7.70						0.1	1.2	0.5	8.0	1.2	0.0	٠ د:		8.0	0.5											6.2
7.60		:	0.0			0.4	0.4	0.0	0.7	1.8	1.5	9.0	6.0	9.4	0.7											8.0
7.50				0. 5		0.1		0.5	0 ડાં	0.5	1,4	3.2	1.0	80	1.0		0.1	0.5		0.5						9.3
7.40					0.5	0.4			1.3	1.6	2.0	0.9	2.0	1.7	1.2	6.0	1.0	0.1								13.7
7.30								0.5	1.3	0.4	1.3	1.2	2.8	1.5	1.5	1.4	0.4	0.0	0.2		0.5					13.0
7.20		N .	0.2	o.3			0.2	6.0	1.2	0.5	0.0	0.4	1.3	1.9	9.0	1.8	1.7	0.9	8.0							12.1
7.10									0.7		0.3	0.2	0.5	1.3	1.2	1.7	0.5	9.0								2.9
7.00										0.0		0.1	1.0	0.2	1.2	ř.3	0.3	6.0	6.0	1.0						7.8
6.90								0.2						9.0	0.4	0.0	1.4	6.0	0.5	0.5	1.0	0.7				7.1
6.80								0.2									0.5		0.5			7				2.4
6.70																								0.2	0.1	0.3
6.60																			0.5					0.3 2	0.5	1.2
	90.01	96.	98.	1.76	99.	.56	.46	36	1.26	1.16	90.	36.	38.	3.76	99.	.56	1.46	38.	3.26	1.16	90.	.96	8	97.	.66	
	10	တှ	ဌာ	Ç)	σ	ಧಾ	တ	0)	· Ci	o,	ø	ᅉ	90	œ	90	90	80	90	œ	œ	œ	7	7	ع.	<u></u>	
	L	Ľ		- ;	Z	<u>'</u> (ار		٥١		_			۵.	.U	2		Ш	ĽÌ.	>	L	J.	2	y .		
(Aug					_						_					_									3 1	1 m m
-	[<	4	ď.		<u></u>	5	•	Ų	7		<u>.</u>	ď	Į:			۲'				ų.	۲	۳,	_			

Bivariate Frequency Table for Hand Circumference; Fingertips Even and Hand Circumference; Metacarpale


r=.734 (for grouped data)


BLANK PAGE


SECTION VIII

SELECTED NOMOGRAPHS

- 1. English Units of Measurement
- 2. Metric Units of Measurement








USAF FEMALE PERSONNEL

A straight line passing through known values of HAND LENGTH and HAND BREADTH, METACARPALE will also pass through average values of the other dimensions for USAF female personnel having this Hand Length and this Hand Breadth, Metacarpale, Fach average value thus found is the midpoint of a range, found by adding and subtracting the number shown below the line to this midpoint, which will include the dimensions of about two-thirds of the women with the original values of Fund Lergth and Hand Breadth, Metacarpale.

All dimensions are in millimeters,



REFERENCES

- Hertzberg, H.T.E., et al., Anthropometry of Flying Personnel—1950, WADC Technical Report 52-321, Wright Air Development Center, Wright-Patterson AFB, Ohio, 1954, AD 47 953
- Daniels, Gilbert S., et al., Anthropometry of WAF Basic Trainees, WADC Technical Report 53-12, Wright Air Development Center, Wright-Patterson AFB, Ohio, 1953. AD 20 542
- Barter, James T., and M. Alexander, A Sizing System for High Altitude Gloves, WADC Technical Report 56-599, Wright Air Development Center, Wright-Patterson AFB, Ohio, 1956. AD 110 589
- 4. Churchill, E., et al., Nomograph of the Hand and Its Related Dimensions, WADC Technical Report 57-198, Wright Air Development Center, Wright-Patterson AFB, Ohio, 1957. AD 118 162
- Vicinus, Joan Haskell, X-Ray Anthropometry of the Hand, AMRL-TDR-62-111, Aerospace Medical Research Laboratories, Wright-Patterson AFB, Ohio, 1962. AD 291 412
- 6. Garrett, John W., Clearance and Performance Values for the Bare-Handed and the Pressure-Gloved Operator, AMRL-TR-68-24, Aerospace Medical Research Laboratories, Wright-Patterson AFB, Ohio, 1968. AD 681-457
- Climatic Research Laboratory, Quartermaster Corps, Survey of Body Size of Army Personnel, Male and Female, Report No. 1, Methodology and General Considerations (Female), Report No. 123, Lawrence, Massachusetts, 1947.
- Ashe, W. F., Anthropometric Measurements, Project 9, No. 741-3, Armored Force Medical Research Laboratory, U.S. Army Medical Research Laboratory, Fort Knox, Kentucky, 1943.
- Randall, F. E., and M. J. Baer, Survey of Body Size of Army Personnel—Male and Female Methodology, Report No. 122, Office of the Quartermaster General, Research and Development Division, Environmental Protection Research Division, Natick, Mass., 1961.
- Oshima, M., et al., Anthropometry of Japanese Pilot, AMRL-TR-65-74, Aerospace Medical Research Laboratories, Wright-Patterson AFB, Ohio, 1965, AD 462 062

- 11. Kay, Won Chuel, "Anthropometry of the ROKAF Pilots," Republic of Korea Air Force Journal of Aviation Medicine, Vol. 9, No. 1, pp. 61-113, 1961.
- 12. Hertzberg, H.T.E., et al., Anthropometric Survey of Turkey, Greece and Italy, AGARDograph 73, The MacMillan Co., New York, 1963. AD 421 428
- White, Robert M., Anthropometric Survey of the Royal Thai Armed Forces, U.S. Army Natick Laboratories, Natick, Mass., 1964.
- Gifford, E. C., et al., Anthropometry of Naval Aviators—1964, NAEC-ACEL-533, U. S. Naval Air Engineering Center, Philadelphia, Penna., 1965.
- White, Robert M., Anthropometric Survey of the Armed Forces of the Republic of Vietnam, U.S. Army Natick Laboratories, Natick, Mass., 1984.
- Randall, F.E., et al., Human Body Size in Military Aircraft and Personal Equipment, AAF Technical Report 5501, Army Air Force, Air Material Command, Wright Field, Ohio, 1946.
- Comas, Juan, Manual of Physical Anthropology, English Edition, Charles C. Thomas, Springfield, Ill. 1960.
- Anonymous, Etude anthropometrique du personnel navigant francaise de l'areonautique civile et militaire, Paris, 1965.
- Carrington, G.M., Anthropometric Survey of Male Members of the Australian Army, Part I, Medical Survey, Australian Army Operational Research Group, Sidney, 1959.
- Stewart, T.D., Ed., Hrdlicka's Practical Anthropometry, The Wistar Institute of Anatomy and Biology, Philadelphia, Penna., 1952.
- 21. Martin R., and K. Saller, Lehrbuch der Anthropologie in Systematischer Darstellung, Band 1. Gustav Fischer Verlag, Stuttgart, 1957.
- 22. Churchill, E., Statistical Considerations, (Chapter 3, pp. 40-75) In: Human Development, F. Faukner, editor, W. B. Saunders Company, Philadelphia, Penna., 1966.
- 23. Siegel, Sidney, Nonparametric Statistics for the Behavioral Sciences, McGraw-Hill Book Company, New York, 1956.

Security Classification		and method & Annual Control & Control Control	
DOCUMENT CONT	OL DATA - R 8		The Contract of the Contract o
(Security classification of title, body of abatract and indexing a			overall report is classified)
1. ORIGINATING ACTIVITY (Corporate author)			CURITY CLASSIFICATION
Aerospace Medical Research Laboratory			SIFIED
Aerospace Medical Division, Air Force Syste	ms Command,	21. GROUP	
Wright-Patterson Air Force Base, Ohio 45433		N/A	
3. REPORT TITLE			
ANTHROPOMETRY OF THE AIR FORCE FEMALE HAND			
C. DESCRIPTIVE NOTES (Type of report and Inclusive dates)			
Final Report			
5. AUTHOR(3) (First name, middle initial, last name)			
John W. Garrett			
6. REPORT DATE	74. TOTAL NO. OF	PACES	76. NO. OF REFS
March 1970	81		23
SE. CONTRACT OR GRANT NO.	94. ORIGINATUR'S	REPORT NUME	3ER(\$)
6. PROJECT NO. 7184	AMRL-	TR-69-26	
c. Task. 08	oh. OTHER REPOR	T NO(5) (Any of	har numbers that may be assigned
d. Work Unit. 003			
10. DISTRIBUTION STATEMENT			
This document has been approved for public is unlimited.	release and	sale; its	distribution
11. SUPPLEMENTARY NOYES	12. SPONSORING M		• • • •
			esearch Laboratory
	Aerospace M	ledical Di	v., Air Force Systems
	Command, Wr	ignt-ratte	erson AFB, OH 45433
13. ABSTRACT			,

This report describes 56 anthropometric dimensions measured on the hands of 211 Air Force female personnel (Women in the Air Force, Nurse Corps, and Biomedical Science Corps), aged 18-56. Summary statistics including the means, standard deviations, ranges, selected percentiles, measures of distribution, and coefficients of variation are presented for the 56 dimensions. Also included are statistical variations by age, rank and Corps within the sample, a complete correlation matrix, bivariate tables, and nomographs for various selected combinations of dimensions.

4.	LIN	K A	LIN	K P	LIN	K C
XEY WORDS	ROLE	WY	ROLE	WT	ROLE	WΥ
Anthropology						
Anthropology Anthropometry Hands]			•	1	,
Hands				,		;
Hand Measurements Body Size						
body Cize						
		ļ		,	ĺ	
	ľ,			,		
						,
					i	
			Į į			,
		ľ	·			
) ,				
		`	•			
	j '	}	;	,		
	,				ľ	
			}			,
	,	ì	,		i	ľ
					,	
		ŀ			;	4
	-				,	:
			Ì '	,		
		:		;		
		1		- b	, f	±
		ļ				
		i				
	Ì	1	:	:		
] -			٠.	
		ļ		•	. '	,
			[ĺ
			:	•		
	1,	3	,		·	
:		ļ		,		
1				,		Ì
	1	Ì]		,	
		}	}			
			1		Ì	ļ
		1]] :	}
			į		:	
		·	ľ		,	
		. .				
		ľ '				
						1
•	1	Ł	1 '	Ī	l	i

SUPPLEMENTARY

INFORMATION

```
Multiple Regression Equations in Terms of Hand Length & Hand Breadth
      HTDMEJ CHAH 1
                            = (1.000) H.L. + (0.300) H.B.+(0.000) R =1.300 SE = .00
      ATEM HTCABSE DNAH 2
                            = (0.000) H.L. + (1.900) H.B.+(0.900) R =1.300 ST = .00
     3 HAND CIRC METACARP = ( .879) H.L. + (1.851/H.B.+( 3.022) R = .897 SE = .37
      4 HAND CIRC META MIN = (-.006)H.L. + (2.306)H.B.+( 3.788) R = .710 SE = .87
  0
     5 HAND CIRC TIPS EVN = ( .2.86) H.L. + (1.969) H.B.+( 2.291) R = .778 SE = .73
      6 FIST CIRC
                            = ( .386) H.L. + (2.161) H.B.+( 1.248) R = .799 SE = .79
     7 WRIST CIRC
                            = ( .157)H.L. + (1.158)H.B.+( 3.237) R = .745 SE = .47
     8 HAND THICK AT META = ( .008) H.L. + ( .192) H.B.+( 1.136) R = .428 SE = .16
     9 HND DPTH THENR PAD = ( .062) H.L. + ( .386) H.B.+( 1.082) R = .468 SE =
                                                                                  . 34
     10 DIG & JOINT BROTH
                            = (.921) H_{\bullet}L_{\bullet} + (.141) H_{\bullet}B_{\bullet} + (
                                                             .436) R = .553 SE = .10
    11 DIGIT 1 JOINT OPTH = ( .013) H.L. + ( .157) H.B.+(
                                                             .216) R = .554 SE = .10
    12 DIGIT 1 JOINT CIRC = ( .043) H.L. + ( .467) H.B.+( 1.149) R = .617 SE = .26
    13 DIG 2 DST JNT BDTH = ( . (03) H.L. + ( .152) H.B.+(
                                                            .314) R = .591 SE = .03
    14 DIG 2 DST JNT DPTH = (-.003) H.L. + ( .117).H.B.+(
                                                            .432) R = .479 SE' = .08
    15 DIG 2 DST JNT CIRC = (0.000)H.L. + ( .419)H.B.+( 1.230) R = .613 SE = .21
    1.6 DIG 2 PR JNT BRDTH = ( .013) H.L. + ( .145) H.B.+(
                                                             .469) R = .623 SE = .08
     17 DIG 2 PR JNT DPTH
                            = (.916) H.L. + (.113) H.B.+(
                                                            •485) R = •508 SE = •09
    18 DIG 2 PR JNT CIRC
                           ≈ ( •048)H•L• + ( •407)H•B•+( 1•401)
(
                                                                   R = .625 SE = .23
    19 DIG 3 DST JNT BDTH = (-.301)H.L. + ( .133)H.B.+(
                                                            •523) R = •558 SE = •07
    20 DIG 3 DST JNT DPTH = (0.000) H.L. + ( .131) H.B.+(
                                                            .300) R = .553 SE = .07
    21 DIG 3 DST JNT CIRC = (0.000) H.L. + ( .422) H.B.+( 1.226) R = .617 SE = .20
    22 DIG 3 PR JNT BROTH =
                              ( .007) H.L. + ( .144) H.B.+(
                                                            •594) R = •580
                                                                            SE = .88
    23 DIG 3 PR JNT DPTH
                           = (.018) H.L. + (.129) H.5.+(
                                                            .353) R = .539
                                                                            SF = .89
     24 DIG 3 PR JNT CIRC
                            = (.034)H_{\bullet}L_{\bullet} + (.423)H_{\bullet}B_{\bullet} + (.1.629)
                                                                  R = .639 SE = .22
    25 DIG 4 DST JNT BOTH = ( .002)H.L. + ( .132)H.B.+(
                                                            .376) R = .567 SE = .07
    26 DIG 4 DST JNT DPTH = ( .002)H.L. + ( .124)H.B.+(
                                                            .258) R = .534 SE = .08
    27 DIG 4 DST JNT CIRC = ( .006)H.L. + ( .375)H.B. +( 1.221)
                                                                   R = .605 SE = .19
    28 DIG 4 PR JNT BRDTH = ( .006)H.L. + ( .130)H.E.+(
                                                            ·58U)
                                                                   R = .521 SE = .09
    29 DIG 4 PR JNT DPTH = ( .017)H.L. + ( .092)H.B.+(
                                                            .556) R = .412 SE = .10
    30 DIG 4 PR JNT CIRC
                            = (.035)H.L. + (.352)H.B.+(1.779) R = .567 SE = .22
    31 DIG 5 DST JNT BDTH =
                             ( .002)H.L. + ( .111)H.3.+(
                                                            •418) R = •478 SE = •08
    32 DIG 5 DST JNT DPTH =
                              ( .610) H.L. + ( .104) H.B.+(
                                                            .149) R = .495 SE = .08
    33 DIG 5 DST JNT CIRC =
                             (.009)H.L. + (.329)H.B.+(1.162) R = .541 SE = .20
(
    34 DIG 5 PR JNT BRDTH = ( .011) H.L. + ( .107) H.B.+(
                                                            • 438)
                                                                   R = .519 SE = .08
    35 DIG 5 PR JNT DPTH
                            =
                             ( .025) H.L. + ( .060) H.B.+(
                                                            .479) R = .436 SE = .08
    36 DIG 5 PR JNT CIRC
                             ( .061) H.L. + ( .275) H.B.+( 1.266) R = .565 SE = .21
                           =
    37 WRIST BREADTH
                             (.021)H.L. + (.478)H.B.+(1.768) R = .584 SE = .27
                            =
    36 DIGIT 1 HT PERP WC = ( .644) H.L. + (-.215) H.B.+(-1.249) R = .609 SE = .67
    39 DIGIT 2 HT PERP HC = ( .878) H.L. + ( .150) H.B.+( -.469) R = .858 SE =
(
                                                                                  . 47
    40 DIGIT 3 HT PERP HC = ( .952)H.L. + ( .380)H.8.+( -.056)
                                                                   R = .950 SE = .27
    41 DIGIT 4 HT PERP WC = ( .893) H.L. + ( .141) H.B.+( -.739) R = .898 SE = .39
    42 DIGIT 5 HT PERP HC = ( .784) H.L. + ( .181) H.B.+(-1.335) R = .783 SE = .55
    43 CROTCH 1 HEIGHT
                           =
                              ( .409)H.L. + (-.152)H.B.+( -.441) R = .575 SE = .46
    44 CROTCH 2 HEIGHT
                           = (.542) \text{H.L.} + (-.0.63) \text{H.B.+}(
                                                                   R = .755 S\bar{c} = .39
                                                            •528)
    45 CROTCH 3 HEIGHT
                           = ( .532) H.L. + (-.075) H.B.+(
                                                           •349)
                                                                   R = .749 SE = .39
    46 CROTCH 4 HEIGHT
                           = ( .524) H.L. + (-.348) H.B.+( -.305)
                                                                   R = .734 SE = .41
    47 DIGIT 1 TIP-CROTCH = ( .347)H.L. + ( .917)H.B.+( -.983)
                                                                   R = .687 SE = .32
    48 DIGIT 2 TIP-CROTCH = ( .350) H.L. + ( .224) H.B.+(-1.103) R = .685 SE = .38
    49 DIGIT 3 TIP-CROTCH = ( .406)H.L. + ( .152)H.B.+( -.561)
                                                                   R = .755 SE =
                                                                                  • 33
    50 DIGIT 4 TIP-CROTCH = ( .398) H.L. + ( .998) H.B.+( -.532) R = .701 SE =
                                                                                  .37
    51 DIGIT 5 TIP-CROTCH = ( .283) H.L. + ( .124) H.B.+( -.570) R = .619 SE = .35
    52 DIGIT 1 TIP-WRIST
                           = (.854) \text{ H.L.} + (-.247) \text{ H.a.} + (-2.358) R = .685 SE = .73
              2 TIP-WRIST
    53 DIGIT
                             ( .889) H.L. + ( .122) H.B.+( -.218) R = .398 SE = .41
                           Ξ
    54 DIGIT 3 TIP-WRIST
                          = (.942) \text{H.L.} + (.081) \text{H.B.+} (.135)
                                                                   R = .951 \text{ SF} = .27
    55 DIGIT 4 TIP-WRIST = ( .891)H.L. + ( .143)H.B.+( -.318) R = .397 SE = .39
    56 DIGIT 5 TIP-WRIST = ( .799)H.L. + ( .225)H.B.+(-1.+21) P = .804 SE = .55
```

* (

Ò(

```
Multiple Regression Equations in Terms of Hand Length & Fist Circumference
                       = (1.800) H.L. + (0.880) F.C.+(0.000) R.=1.000 SE = .00.
1 HAND LENGTH
2 HAND BREADTH META
                       = (.069)H.L. + (.196)F.C. + (1.006) R = .781 SE = .24
 3 HAND CIRC METAGARF = ( .138) H.L. + ( .437) F.C.+( 5.385) R = .785 SE = .51
 4 HAND CIRC META MIN = (-.008) H.L. + ( .626) F.C.+( 5.360) R = .663 SE = .92
5 HAND CIRC TIPS EVN = ( .218) H.L. + ( .606) F.C.+( 3.644) R = .786 SE = .72
 6 FIST CIRC
                       = (0.000)H_{\bullet}L_{\bullet} + (1.000)F_{\bullet}C_{\bullet} + (0.000)R_{\bullet} = 1.000 SE = .00
7 WRIST CIRC
                       = ( .183) H.L. + ( .286) F.C.+( 4.597) R = .585 SE = .52
 8 HAND THICK AT META = (-.003)H.L. + ( .064)F.C.+( 1.225)
                                                               R = .455 SE = .15
 9 HND DPTH THENR PAD = (.025) H.L. + (.144) F.C.+(.1.146) R = .520 SE = .33
10 DIG 1 JOINT BRDTH = ( .016) H.L. + ( .044) F.C.+(
                                                        .521) R = .557 SE = .10
11 DIGIT 1 JOINT DPTH = ( .014) H.L. + ( .041) F.C.+(
                                                        .391) R = .515 SE = .10
12 DIGIT 1 JOINT CIRC = (.043)H.L.+(.131)F.C.+(.1.586) R = .597 SE = .26
13 DIG 2 DSY JNT BOTH = ( .005)H.L. + ( .038)F.C.+(
                                                       .507) R = .531 SE
                                                                            80.
14 DIG 2 DST.JNT DPTH =
                         (-.006) H.L. + ( .035) F.C.+(
                                                        .519) R = .474 SE
                                                                            ~ .08
15 DIG 2 DST JNT CIRC =
                         (.001)H.L. + (.112)F.C.+(1.661)R = .568SE = .21
16 DIG 2 PR JNT BROTH = ( .012) H.L. + ( .041) F.C.+( .587) R = .600 SE = .08
                                                        .467) R = .598 SE = 1.08.
17 DIG 2 PR JNT DPTH
                       =
                         ( .002)H.L. + ( .045)F.C.+(
18 DIG 2 PR JNT CIRC
                       =
                         ( .022) H.L. + ( .138) F.C.+( 1.579) ? = .665 SE = .22
                                                                            = .08
       3 DST JNT BOTH =
                         ( .002) H.L. + ( .033) F.C.+(
                                                         .575)
                                                               R = .488 SE
19 DIG
       3 OST JNT DPTH =
20 DIG
                         (.002)H_{\bullet}L_{\bullet} + (.034)F_{\bullet}C_{\bullet} + (..430)
                                                               R = .501^{\circ}SE
                                                                            = '.08'
21 DIG 3 DST JNT CIRC =
                         ( .008)H.L. + ( .105)F.C.+( 1.729) R.= .547 SE = .22
22 DIG 3 PR JNT BROTH = ( .012)H.L. + ( .033)F.C.+(
                                                                            = .09:
                                                        .795) R = .504 SE
23 DIG 3 PR JNT DPTH
                       = (.013)H_*L_* + (.040)F_*C_* + (
                                                        .444) R = .549 SE
                                                                            =. .09
24 DIG 3 PR JNT CIRC
                       =
                         ( .035) H.L. + ( .114) F.C.+( 2.042)
                                                               R = .603 SE
                                                                            = .22
       4 DST JNT BOTH =
                         ( .003) H.L. + ( .034) F.C.+(
25 DIG
                                                        .532)
                                                               R = .520 SE
                                                                            = .08.
26 DIG 4 DST JNT DPTH =
                          ( .001) H.L. + ( .035) F.C.+(
                                                                              .08
                                                         .363) R = .510 SE
                                                                            =
27 DIG 4 DST JNT CJT
                       = (.006) \text{H.L.} + (.101) \text{F.C.} + (1.505) \text{ R} = .566 \text{ SE}
                                                                            = .20
                                                                            = .89
                                                         .734) R = .465 SE
28 DIG 4 PR JNT BRI
                          (.009)H.L. + (.032)F.C.+(
29 DIG 4 PR JNT DP'E
                          ( .010) H.L. + ( .033) F.C.+(
                                                         .571) R = .445 SE = .10
30 DIG 4 PR JNT CIRC
                             929) H.L. + ( .162) F.C.+( 2.067)
                                                               R = .556 SE = .22
                                                               R = .554 SE = .07
         DST JNT BDTH =
31 DIG
       5
                              09) H.L. + ( .041) F.C.+(
                                                         . 453)
32 DIG 5 DST JNT DPTH = ( .007) H.L. + ( .031) F.C.+(
                                                        .235) R = .494 SE = .08.
33 DIG 5 DST JNT CIRC = (-.012)H.L. + (..112)F.C.+(1.294) R = .585 SE = .19
34 DIG 5 PR JNT BRDTH = (.010)H_{0}L_{0} + (.031)F_{0}C_{0} + (.031)F_{0}C_{0}
                                                        .511) R = .505 SE
                                                                            = :08
35 DIG 5 PR JNT DPTH
                       = (.017) H.L. + (.025) F.C.+(
                                                         .464) R = .477 SE = .084
36 DIG 5 PR JNT CIRC
                       =
                          (.046)H.L. + (.090)F.C.+(1.421) R = .584 SE = .20
                          (.019)H.L. + (.132)F.C. + (2.212) R = .555 SE
37 WRIST BREADTH
                       =
                                                                            = ..27%
38 DIGIT 1 HT PERP WC =
                          (.654)H.L. + (-.069)F.C.+(-1.373) R = .610 SE = .67
39 DIGIT 2 HT PERP WC = ( .877) H.L. + ( .J41) F.C.+( -.313) R = .857 SE = .47
40 DIGIT 3 HT PERP WC =
                         (.942)H.L. + (.033)F.C.+(-.079)R = .951SE = .27
41 DIGIT 4 HT PERP WC = ( .867) H.L. + ( .066) F.C.+( -.824) R = .900 SE = .39
42 DIGIT 5 HT PERP WC = ( .717)H.L. + ( .100)F.C.+(-2.339) R = .791 SE = .55
43 CROTCH 1 HEIGHT
                        = (.416)H.L. + (-.049)F.C.+(-.522) R = .576 ST = .46
44 CROTCH 2 HEIGHT
                        =
                         ( .553) H.L. + (-.029) F.C.+(
                                                       .665) R = .756 SE = .39
                        = ( .518) H.L. + (-.005) F.C.+(
                                                        .646) R = .748 SE = .39
45 CROTCH 3 HEIGHT
46 CRÒTCH 4 HEIGHT
                        = (.506) \text{H.L.} + (.007) \text{F.C.} + (.526) \text{ R} = .734. \text{SE} = .41
47 DIGIT 1 TIP-CROTCH = ( .328)H.L. + ( .025)F.C.+(-1.132) R = .690 SE = .32
48 DIGIT 2 TIP-CROTCH = ( .336)H.L. + ( .076)F.C.+(-1.012) R = .689 SE = .38
49 DIGIT 3 TIP-CROTCH = (.392)H.L. + (.056)F.C.+(.-.529) R = .758 ST =
                                                                               •33
50 DIGIT 4 TIP-CROTCH = ( .391)H.L. + ( .934)F.C.+( -.545) R = .702 SE = .37
51 DIGIT 5 TIP-CROTCH = (.253)H.L. + (.065)F.C.+(..690)R = .632 SE = .34
52 DIGIT 1 TIP-WRIST
                       = (.842) \text{H.L.} + (-.354) \text{F.C.} + (-2.706) \text{R} = .583 \text{SE} = .73
53 DIGIT 2 TIP-WRIST
                       = (.881) \text{H.L.} + (.042) \text{F.C.+} (-.169) \text{R} = .890 \text{SE} = .41
                       = (.929) H.L. + (.036) F.C.+(
                                                        .099) R = .952 SE = .27
54 DIGIT
          3
            TIP-WRIST
                       = (.875)H.L. + (.957)F.C.+(-.344) R = .398 SE = .39
55 DIGIT 4 TIP-WRIST
                        = (.748) \text{H.L.} + (.116) \text{F.C.} + (-1.652) R = .811 SE = .54
56 DIGIT 5 TIP-WRIST
```